Tremco AVC Membrane Primers

Quick Drying Primers for Use with Tremco AVC Membranes

DESCRIPTION

Tremco AVC Membrane Primer is an SIS rapid-curing adhesive primer formulated to prepare and promote adhesion to sound, clean and dry structural decks and subdecks of concrete, metal, wood and exterior grade sheathing panels. Tremco AVC Primer should be applied with a roller or brush prior to application of Tremco AVC Membrane. Apply Tremco AVC Membrane after Tremco AVC Primer dries to a non-transferable tacky film. (approximately 15 minutes at 23°C at 50% relative humidity)

Tremco AVC Membrane Primer (WB) is a water-based (WB), quick drying modified bitumen primer to be applied prior to the application of Tremco AVC Membrane. WB promotes adhesion to sound, clean and dry structural decks and subdecks of concrete, metal, wood and exterior grade sheathing panels. Apply Tremco AVC Membrane Primer (WB) with a brush or roller. Tremco AVC Membrane should not be applied to Tremco AVC Membrane Primer (WB) until it is completely dry (approximately 45 minutes at 23°C at 50% relative humidity). Stir primer before use. Do not apply Tremco AVC Membrane Primer (WB) below 7°C. (45°F).

PACKAGING

COVERAGE RATES

PHYSICAL PROPERTIES

18.9L (5 gal) pails

Approximately 6m²/Lm (250 ft²/gal) depending on porosity and texture of surface.

| PROPERTY | TYPICAL VALUE | TEST METHOD |
|---------------------------------|---------------------------------|-------------|
| Tremco AVC Membrane Primer | | |
| % Total solids | 44.5-46.5 | |
| Viscosity | 500-750 cps | |
| Specific gravity | 0.89-0.91 | |
| Appearance | Dark green, light syrupy liquid | |
| Tremco AVC Membrane Primer (WB) | | |
| % Total solids | 53.3 (4 lb.) | |
| Viscosity | 2-3600 cps | |
| Specific gravity | 0.89-0.91 | |
| Appearance | | |

Tremco AVC Membrane Primers

MAINTENANCE

PRECAUTIONS

TECHNICAL SUPPORT

Your local Tremco Roofing sales representative can provide you with effective maintenance procedures which may vary, depending upon specific conditions. Periodic inspections, early repairs and preventative maintenance are all part of a sound roof program.

Users must read container labels and Safety Data Sheets for health and safety precautions prior to use.

Your local Tremco Roofing sales representative, working with the Technical Service Staff, can help analyze conditions and needs to develop recommendations for special applications.



Roofing & Building Maintenance

ww.tremcoroofing.com 3735 Green Road Beachwood, Ohio 44122 1.800.852.6013

220 Wicksteed Avenue Toronto, Ontario, M4H 1G7 1.800.668.9879

Tremco Roofing and Building Maintenance is part of Tremco Construction Products Group. Tremco is a US Registered trademark of Tremco CPG Inc.

Tremoo is a US Registered trademark of Tremoo CPG Inc.
The information provided on this data page supersedes all previous data concerning this product and its application.
The Statements provided concerning the materials shown are intended solely as a general guide for material usage and are believed to be true and accurate. Since the manner of use is beyond our control, Tremoo DOES NOT MAKE NOR DOES IT AUTHORIZE ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, OR ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION, EXPRESSED OR IMPUIED, CONCERNING THIS MATERIAL EXCEPT THAT IT CONFORMS TO TREMCO'S PRODUCT SAMPLE. Buyer and user accept the product under those conditions and assume the risk of any failure, injury of person or property and loss or liability resulting from the handling, storage or use of the product, whether or not it is handled, stored, used in accordance with directions or specifications. UNDER NO CIRCUMSTANCE SHALL TREMCO BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING FROM ANY BREACH OF WARRANTY, IN ALL CASES, TREMCO'S LIABILITY IS LIMITED, AT TREMCO'S OPTION, TO THE REPLACEMENT OF GOODS, OR THEIR VALUE, PROVEN TO BE DEFECTIVE IN MANUFACTURING