

## SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/2014 Print Date 07/23/2014

### **SECTION 1 - PRODUCT IDENTIFICATION**

Trade name:SOLARGARD RUST PRIMER WB5 GALProduct code:346310S 805

COMPANY Telephone Emergency Phone		Tremco Incorporated 3735 Green Road Cleveland, OH 44122 (216) 292-5000 8:30 - 5:00 EST (216) 765-6727 8:30 - 5:00 EST After Hours: Chemtrec 1-800-424-9300
Product use	:	Coating

### **SECTION 2 - HAZARDS IDENTIFICATION**

#### Emergency Overview

Light Gray. Liquid solution. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

#### Acute Potential Health Effects/ Routes of Entry

Inhalation:No serious effects anticipated under normal conditions of use.Eyes:Direct contact may cause mild irritation.Ingestion:May cause gastrointestinal irritation, nausea, and vomiting.Skin:May cause mild irritation.

#### Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

#### **Chronic Health Effects**

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

## **SECTION 3 - PRODUCT COMPOSITION**

Chemical Name	CAS-No.	Weight %
Water	7732-18-5	40.0 - 70.0
Styrene/acrylic copolymer	NJ TSRN# 51721300-6183P	40.0 - 70.0
Strontium zinc phosphosilicate	NJ TSRN# 51721300-5551P	3.0 - 7.0
Zinc oxide	1314-13-2	0.1 - 1.0
Sodium nitrite	7632-00-0	0.1 - 1.0
Ammonium hydroxide	1336-21-6	0.1 - 1.0

### **SECTION 4 - FIRST AID MEASURES**

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get

An RPM Company



# SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/2014 Print Date 07/23/2014

	medical attention.
Eye contact	: Flush with water for 15 minutes. If irritation persists, get medical attention.
Skin contact	: Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
Ingestion	: Get medical attention. Do not induce vomiting.
Notes to physician	: Not applicable.

### **SECTION 5 - FIRE FIGHTING MEASURES**

Flash point Method Lower explosion limit	::	Not available. Not applicable. Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Carbon monoxide and carbon dioxide can form.Smoke, fumes.
Protective equipment for firefighters	:	Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
Fire and explosion conditions	:	This product not expected to ignite under normal conditions of use.

## **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Transfer to appropriate container for disposal. Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

## **SECTION 7 - HANDLING AND STORAGE**

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

## **SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### Personal protection equipment

Respiratory protection	approved res	approved respirator with combination particulate filter and vapor/gas removing cartridge when the ventilation is not adequate or if it is necessary to abrade or grind surfaces coated with this product.	
Hand protection	: Use suitable reduce expo	e impervious rubber or vinyl gloves an osure.	nd protective apparel to
Eye protection	: Wear approp	Wear appropriate eye protection.Wear chemical safety goggles and/or face	
n RPM Company		2/6	346310S 805



## SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/2014 Print Date 07/23/2014

		shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
Skin and body protection	:	Prevent contact with shoes and clothing. Use rubber apron and overshoes.
Protective measures	:	Other equipment not normally required.Use professional judgment in the selection, care, and use.
Engineering measures	:	Not required under normal conditions of use.Use local exhaust when the general ventilation is inadequate.

#### **Exposure Limits**

Chemical Name	CAS Number	Regulation	<u>Limit</u>	Form
Zinc oxide	1314-13-2	ACGIH TWA: ACGIH STEL:	2 mg/m3 10 mg/m3	Respirable fraction. Respirable fraction.
		OSHA PEL:	5 mg/m3	Fume.
		OSHA PEL: OSHA PEL: OSHA TWA: OSHA TWA:	5 mg/m3 15 mg/m3 15 mg/m3 5 mg/m3	Respirable fraction. Total dust. Total dust. Respirable fraction.
Ammonium hydroxide	1336-21-6	ACGIH TWA: ACGIH STEL: OSHA PEL:	25 ppm 35 ppm 35 mg/m3	

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Form	: Liquid solution	
Color	: Light Gray	
Odor	: Slight Acrylate	
рН	: 8	
Vapour pressure	: Not available.	
Vapor density	: Heavier than air	
Melting point/range	: Not available.	
Freezing point	: Not available.	
Boiling point/range	: Not available.	
Water solubility	: Soluble	
Specific Gravity	: 1.116	
% Volatile Weight	: 50 %	
SECTION 10 - REACTIVI	TY / STABILITY	

	Stable Will not occur.
,	



## SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/2014 Print Date 07/23/2014

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

Zinc oxide, CAS-No.: 1314-13-2 Acute oral toxicity (LD-50 oral)

7,950 mg/kg (Mouse) 7,950 mg/kg (Mouse)

Ammonium hydroxide, CAS-No.: 1336-21-6 Acute oral toxicity (LD-50 oral) 350 mg/kg (Rat)

## **SECTION 12 - ECOLOGICAL INFORMATION**

No Data Available

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

**Disposal Method** 

Waste not regulated under RCRA. Dispose of in compliance with state and local 1 regulations.

### SECTION 14 - TRANSPORTATION / SHIPPING DATA

### CFR / DOT:

Not Regulated

### TDG:

Not Regulated

### IMDG:

Not Regulated

## **SECTION 15 - REGULATORY INFORMATION**

#### North American Inventories:

All components are listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

#### **U.S. Federal Regulations:**

An RPM Company		4/6	346310S 805
OSHA Hazardous Components	:		
SARA 311/312 Hazards	:	Acute Health Hazard	
SARA 313 Components	:	None present or none present in regulated quantities.	



Print Date 07/23/2014

# SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/20

EVISION DATE: 03/19/2014		
Zinc oxide Sodium nitrite Ammonium hydroxide	1314-13-2 7632-00-0 1336-21-6	
OSHA Status: Considered hazardous based on the following criteria:	: Irritant	
OSHA Flammability	: Not Regulated	
Regulatory VOC (less water and exempt solvent)	: 3 g/l	
VOC Method 310	: 0.11 %	
U.S. State Regulations:		
St	ater yrene/acrylic copolymer rontium zinc phosphosilicate	7732-18-5 NJ TSRN# 51721300-6183P NJ TSRN# 51721300-5551P
St	ater yrene/acrylic copolymer rontium zinc phosphosilicate	7732-18-5 NJ TSRN# 51721300-6183P NJ TSRN# 51721300-5551P
Components under California Pro	position 65:	

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm

# SECTION 16 - OTHER INFORMATION

#### HMIS Rating :

Health	1
Flammability	0
Reactivity	0
PPE	

0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

#### Prepared by: Rich Mikol

#### Legend

ACGIH - American Conference of Governmental Hygienists	PEL - Permissible Exposure Limit
CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act	RCRA - Resource Conservation and Recovery Act
DOT - Department of Transportation	RTK - Right To Know
DSL - Domestic Substance List	SARA - Superfund Amendments and Reauthorization Act
EPA - Environmental Protection Agency	STEL - Short Term Exposure Limit



# SOLARGARD RUST PRIMER WB 5 GAL

Version 3.0 REVISION DATE: 03/19/2014

HMIS - Hazardous Materials Information System IARC - International Agency for Research on Cancer MSHA - Mine Safety Health Administration NDSL - Non-Domestic Substance List NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

Print Date 07/23/2014

TLV - Threshold Limit Value TSCA - Toxic Substances Control Act TWA - Time Weighted Average V - Volume VOC - Volatile Organic Compound WHMIS - Workplace Hazardous Materials Information System