

Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : TREMCO T24 COATING WHITE 5 GL

Product code : 2400700005P

COMPANY : Tremco Incorporated

3735 Green Road Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST Emergency Phone: : (216) 765-6727 8:30 - 5:00 EST

After Hours: Chemtrec 1-800-424-9300

Product use : Coating

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

White. Liquid. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation : No serious effects anticipated under normal conditions of use.

Eyes : Direct contact may cause mild irritation.

Ingestion : May cause gastrointestinal irritation, nausea, and vomiting.

Skin : May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Overexposure to sublimed zinc oxide may produce symptoms known as "zinc oxide chills" which have no recognized complications. Symptoms usually disappear within 24 hours. Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Water	7732-18-5	40.0 - 70.0
Acrylic copolymer	NJ TSRN# 51721300-6375P	15.0 - 40.0
Acrylic Copolymer	NJ TSRN# 51721300-6369P	7.0 - 13.0
Titanium dioxide	13463-67-7	7.0 - 13.0
Vinyl chloride/ethylene/acrylamide copolymer	NJ TSRN# 51721300-5020P	5.0 - 10.0
Zinc oxide	1314-13-2	3.0 - 7.0
Aluminum oxide	1344-28-1	0.1 - 1.0
n-(3,4-dichlorophenyl)-n,n-dimethylurea	330-54-1	0.1 - 1.0



Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get

medical attention.

Eye contact Flush with water for 15 minutes. If irritation persists, get medical attention.

Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap and water. If

irritation, rash or other disorders develop, get medical attention immediately.

Get medical attention. Do not induce vomiting. Ingestion

Notes to physician : Not applicable.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point Not available. Method Not applicable. Lower explosion limit Not available. Upper explosion limit Not available. Autoignition temperature Not available.

Extinguishing media This product is not expected to burn under normal conditions of use.

Hazardous combustion

products

Carbon monoxide and carbon dioxide can form. Smoke, fumes.

Use accepted fire fighting techniques. Wear full firefighting protective Protective equipment for

firefighters clothing, including self-contained breathing apparatus (SCBA).

Fire and explosion conditions This product not expected to ignite under normal conditions of use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Transfer to appropriate container for disposal. Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

SECTION 7 - HANDLING AND STORAGE

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment



Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

Respiratory protection : Not required under normal conditions of use. Wear appropriate, NIOSH/MSHA

approved respirator with combination particulate filter and vapor/gas

removing cartridge when the ventilation is not adequate or if it is necessary to

abrade or grind surfaces coated with this product.

Hand protection : Use suitable impervious rubber or vinyl gloves and protective apparel to

reduce exposure.

Eye protection : Wear appropriate eye protection. Wear chemical safety goggles and/or face

shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily

available.

Skin and body protection : Prevent contact with shoes and clothing. Use rubber apron and overshoes.

Protective measures : Other equipment not normally required. Use professional judgment in the

selection, care, and use.

Engineering measures : Not required under normal conditions of use. Use local exhaust when the

general ventilation is inadequate.

Exposure Limits

Chemical Name	CAS Number	<u>Regulation</u>	<u>Limit</u>	<u>Form</u>
Titanium dioxide	13463-67-7	ACGIH TWA: OSHA PEL: OSHA TWA: OSHA TWA:	10 mg/m3 15 mg/m3 15 mg/m3 5 mg/m3	Total dust. Total dust. Respirable fraction.
Zinc oxide	1314-13-2	ACGIH TWA: ACGIH STEL: OSHA PEL: OSHA PEL: OSHA TWA: OSHA TWA:	2 mg/m3 10 mg/m3 5 mg/m3 5 mg/m3 15 mg/m3 15 mg/m3 5 mg/m3	Respirable fraction. Respirable fraction. Fume. Respirable fraction. Total dust. Total dust. Respirable fraction.
Aluminum oxide	1344-28-1	ACGIH TWA: OSHA PEL: OSHA PEL: OSHA TWA: OSHA TWA: ACGIH TWA:	10 mg/m3 5 mg/m3 15 mg/m3 15 mg/m3 5 mg/m3 1 mg/m3	Respirable fraction. Total dust. Total dust. Respirable fraction. Respirable fraction.
n-(3,4-dichlorophenyl)- n,n-dimethylurea	330-54-1	ACGIH TWA:	10 mg/m3	

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form : Liquid

Color : White

Odor : Acrylic

pH : 7.0 - 9.0

Vapour pressure : Not available.



Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

Vapor density : Heavier than air
Melting point/range : Not available.
Freezing point : Not available.
Boiling point/range : 100 °C, 212 °F

Water solubility : Soluble
Specific Gravity : 1.05
% Volatile Weight : 49 %

SECTION 10 - REACTIVITY / STABILITY

Substances to avoid : Strong acids. Strong bases.

Stability : Stable

Hazardous polymerization : Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

Zinc oxide, CAS-No.: 1314-13-2

Acute oral toxicity (LD-50 oral) 7,950 mg/kg (Mouse) 7,950 mg/kg (Mouse)

n-(3,4-dichlorophenyl)-n,n-dimethylurea, CAS-No.: 330-54-1

Acute oral toxicity (LD-50 oral) 3,400 mg/kg (Rat) 1,017 mg/kg (Rat)

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Dispose of in compliance with state and local

regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

An **RPM** Company 4/6



Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : Zinc oxide 1314-13-2

SARA 311/312 Hazards : Acute Health Hazard

OSHA Hazardous Components:

Titanium dioxide 13463-67-7
Zinc oxide 1314-13-2
Aluminum oxide 1344-28-1
n-(3,4-dichlorophenyl)-n,n-dimethylurea 330-54-1

OSHA Status: Considered : Irritant

hazardous based on the

following criteria:

OSHA Flammability : Not Regulated

Regulatory VOC (less water and

exempt solvent)

: 27 g/l

VOC Method 310 : 1 %

U.S. State Regulations:

MASS RTK Components : Titanium dioxide 13463-67-7

Zinc oxide 1314-13-2 Vinyl acetate 108-05-4 Ethyl Acrylate 140-88-5 Acrylonitrile 107-13-1 p-Dioxane 123-91-1 Ethylene oxide 75-21-8 Formaldehyde 50-00-0 Vinyl chloride 75-01-4 Acetaldehyde 75-07-0

Penn RTK Components : Water 7732-18-5

Acrylic copolymer NJ TSRN# 51721300-6375P Acrylic Copolymer NJ TSRN# 51721300-6369P

Titanium dioxide 13463-67-7

Vinyl chloride/ethylene/acrylamide copolymer NJ TSRN# 51721300-5020P

Zinc oxide 1314-13-2

NJ RTK Components : Water 7732-18-5

Acrylic copolymer NJ TSRN# 51721300-6375P Acrylic Copolymer NJ TSRN# 51721300-6369P

Titanium dioxide 13463-67-7



Version 2.0 Print Date 03/05/2015

REVISION DATE: 07/08/2012

Vinyl chloride/ethylene/acrylamide copolymer Zinc oxide

NJ TSRN# 51721300-5020P

1314-13-2

Components under California Proposition 65:

WARNING! Contains chemicals known to the State of California to cause cancer, birth defects and/or other reproductive harm

SECTION 16 - OTHER INFORMATION

HMIS Rating:

Health	1	0 = Minimum
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
PPE		3 = Serious
		4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists

 CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

RCRA - Resource Conservation and Recovery Act

RTK - Right To Know

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

V - Volume

VOC - Volatile Organic Compound

WHMIS - Workplace Hazardous Materials Information

System