



Roofing & Building Maintenance

TREMLOCK[®] EDGE METAL SYSTEMS

**INNOVATIVE, PRE-ENGINEERED
EDGE METAL SOLUTIONS**

Bringing your vision to life.



PROTECTING THE INTEGRITY OF YOUR DESIGN AND ROOF

In any building project, the roof edge is a vital part of the structure that cannot be overlooked. It is the frontline of defense and key component to protecting the building from structural damage in any inclement weather. But you also want to make sure that it matches the aesthetics of your overall design. There are a variety of questions you want to ask yourself when you are selecting the roof edge system.

Will it look the way you want?

Will it fit within your timetable?

Will there be a warranty?

Will it comply with building requirements?

Will it look clean and consistent?

By choosing Tremco's TremLock Edge your answer can be a yes to all of these vital questions.

Our high-quality roof edge systems are tested to meet the strictest building codes, including ANSI/SPRI/FM 4435/ES-1, FM Approval, and Miami-Dade County Approval. Tremco's TremLock Edge products are also available in an array of colors, materials, designs, and applications that will look great with your design and are backed by some of the strongest available warranties in the industry to ensure the safety of your building.

**THE INDUSTRY'S LARGEST
PORTFOLIO OF TESTED
ROOFING AND BUILDING
ENVELOPE SOLUTIONS.**

**Custom Engineered for Aesthetics
and Functionality**


**Backed by some of the Strongest
Warranties in the Industry**

ANSI/SPRI/FM 4435/ES-1 Tested

FM Approved for Wind Uplift Protection

Visit tremcoroofing.com for a full list of available products.

**COPING | FASCIA | WOOD NAILER ALTERNATIVES
WATER CONTROL | ACCESSORIES**



TremLock 215







THE BEST PROTECTION AVAILABLE FOR YOUR ROOF EDGE

TremLock® 215 fascia products combine custom engineering and superior performance with an attractive appearance on a variety of roof applications including parapet walls.


The patented design of our extruded aluminum anchor bar securely terminates the membrane, providing superior protection to reduce the risk of blow-off or damage to the roof.

TREMLOCK 215 ADVANTAGES

- Lifetime, 215 MPH Wind Warranty available
- ANSI/SPRI/FM 4435/ES-1 tested
- FM approved for wind uplift protection
- Miami-Dade County approved to comply with the "High Velocity Hurricane Zone of the Florida Building Code"
- Express colors available to decrease lead time
- Radius capabilities available to complement your design
- Reusable/recyclable materials

PRODUCT LINE						
VERSIONS	<ul style="list-style-type: none"> • Single Ply • Built-up or Modified 	<ul style="list-style-type: none"> • Single Ply • Built-up or Modified 	<ul style="list-style-type: none"> • Single Ply • Built-up or Modified 	<ul style="list-style-type: none"> • Galvanized Waterdam • Existing Beveled Wood Nailer 	<ul style="list-style-type: none"> • Galvanized Waterdam • Existing Beveled Wood Nailer 	<ul style="list-style-type: none"> • Standard • Pitched
COVER MATERIALS	24 ga., 22 ga. .040"	22 ga. .050", .063"	24 ga., 22 ga. .040", .050", .063"	24 ga., 22 ga. .040", .050", .063"	22 ga. .050", .063"	24 ga., 22 ga. .040"
ANSI/SPRI/FM 4435/ES-1 TESTED	X	X	X	X*	X*	X
FM APPROVED	X	X	X	X*	X*	X
MIAMI-DADE COUNTY APPROVED	X	X	X	X*	X*	X

*Testing on Galvanized Waterdam Version Only





TremLock 200S & TremLock 300S

VERSATILE, ECONOMICAL PRODUCTS IN A RANGE OF DESIGNS, COLORS, AND FINISHES

TremLock® 200S and TremLock® 300S features a distinct design and competitive pricing that makes this line of fascia products the perfect solution for multiple roof conditions. With no exposed fasteners or unsightly cover plates, the clean design prevents migration under the fascia panels and provides proper spacing for thermal movement.

TREMLOCK 200S & TREMLOCK 300S FASCIA ADVANTAGES

- 20 Year, 120 MPH Wind Warranty available
- ANSI/SPRI/FM 4435/ES-1 tested
- FM approved for wind uplift protection
- Miami-Dade County approved to comply with the "High Velocity Hurricane Zone of the Florida Building Code"
- Express colors available to decrease lead time
- Complements your design with a variety of materials and custom sizes available

PRODUCT LINE	 TREMLOCK 200S	 TREMLOCK 300S
VERSIONS	Single Ply, Snap-on Single Ply, Crimp-on	Built-up or Modified
COVER MATERIALS	24 ga., 22 ga. .040", .050", .063"	24 ga. 22 ga. .040", .050", .063"
ANSI/SPRI/FM 4435/ES-1 TESTED	X	X
FM APPROVED	X	X
MIAMI-DADE COUNTY APPROVED	X	X



TremLock Eco Edge

GREAT QUALITY AT A PRICE THAT FITS YOUR BUDGET

TremLock Eco Edge® fascia products combine highly engineered and tested products with quick-to-ship convenience and economical pricing. As a result, you simplify your projects – and maximize profits.

TREMLOCK ECO EDGE FASCIA ADVANTAGES

- 20 Year, 120 MPH Wind Warranty (Fascia) available
- 10 Year, 90 MPH Wind Warranty (Drip Edge and Gravel Stop) available
- ANSI/SPRI/FM 4435/ES-1 tested, Miami-Dade County & FM approved


DRIP EDGE AND GRAVEL STOP:

- TremLock Eco Drip Edge (Kynar)
- TremLock Eco Drip Edge (PVC or TPO Coated)
- TremLock Eco Drip Edge Skirted (PVC or TPO Coated with Factory-Applied Flashing)
- TremLock Eco Edge Flash Thru
- TremLock Eco Gravel Stop

FASCIA PRODUCTS:

- TremLock Eco Edge Instant Fascia (Single Ply)
- TremLock Eco Edge Fascia* (Single Ply and Built-up/Modified)
- TremLock Eco Edge Extended Fascia (Single Ply and Built-up/Modified)

* Testing in 24 ga., 22 ga. and .040" Only



TremLock Aluminaailer-T




PREMIER ENVELOPE PROTECTION

If the edge fails, the entire roof system is in jeopardy. TremLock Aluminaailer-T's wood nailer alternative products make using a wood nailer obsolete. The roof perimeter and corners serve as the first line of defense against severe winds, rain, hail, storms, tornados, hurricanes, and much more.

Replacing old wood nailers at the building perimeter with TremLock Aluminaailer-T or EdgeBox RI significantly reduces the risk of failure and helps protect the entire roof system from costly damages and blow off.

TREMLOCK ALUMINAILER-T FASCIA ADVANTAGES

- Lifetime, 215 MPH Wind Warranty available
- Made with heavy gauge materials that will not warp, crack, split, rot, or deform
- Continuous insulation to the roof edge
- Non-combustible, made with recyclable and reusable materials

PRODUCT LINE	 TREMLOCK ALUMINAILER-T	 TREMLOCK ALUMINAILER-T FOR METAL RETROFITS	 EDGEBOX RI
VERSIONS	<ul style="list-style-type: none"> • 1.5" x 2.5" • 1.5" x 5.5" • 3" x 2.5" • 3" x 5.5" • 5.2" x 4" • 5.2" x 5.5" 	<ul style="list-style-type: none"> • 1.5" x 5.5" • 3" x 5.5" (Pitched or Non-Pitched)	<ul style="list-style-type: none"> • 3.5" Min/16" Max (Width) • 1.25" Min/16" Max (Height)
MATERIALS	Heavy Gauge Aluminum	Heavy Gauge Aluminum	20 ga. Galv. Steel (Spines required when over 6")
ANSI/SPRI/FM 4435/ES-1 TESTED	X	X	X*
FM APPROVED	X	X	X*
MIAMI-DADE COUNTY APPROVED	X	X	X*

* Tested up to 4.5" Height and 5.5" Width



TremLock Infinity

VERSATILE, ECONOMICAL PRODUCTS IN A RANGE OF DESIGNS, COLORS, AND FINISHES

Continuing a tradition of innovative, rigorously tested roof edge systems, TremLock Infinity® coping products are the perfect complement to your building's natural aesthetics. A variety of options, including standard and custom colors as well as anodized finishes, accommodate multiple roof conditions. It's exactly what you need for your building: the right design, the right quality, the right color and finish.

TREMLOCK INFINITY COPING ADVANTAGES

- Includes Tremco wind warranty upon approval
- ANSI/SPRI/FM 4435/ES-1 Tested
- FM and Miami-Dade County Approved
- Factory fabricated, welded, or quicklock miters create a clean appearance
- No exposed fasteners with snap-on design

PRODUCT LINE					
	TREMLOCK INFINITY GOLD	TREMLOCK INFINITY	TREMLOCK INFINITY TRAVERSE	TREMLOCK INFINITY DOUBLE TAPERED	TREMLOCK INFINITY CONTINUOUS CLEAT
VERSIONS	<ul style="list-style-type: none"> • Tapered • Flat • Existing Slope 	<ul style="list-style-type: none"> • Tapered • Flat • Existing Slope 	<ul style="list-style-type: none"> • Single • Double 	<ul style="list-style-type: none"> • Tapered • Existing Slope 	<ul style="list-style-type: none"> • Tapered • Flat • Existing Slope
WIND WARRANTY	Lifetime, 215 MPH	20-Year, 120 MPH	20-Year, 120 MPH	20-Year, 120 MPH	20-Year, 120 MPH
COVER MATERIALS	24 ga., 22 ga. .040", .050", .063"	24 ga., 22 ga. .040", .050", .063"	24 ga., 22 ga. .040", .050", .063"	24 ga., 22 ga. .040", .050", .063"	24 ga., 22 ga. .040", .050", .063"
DESIGN ELEMENTS	16 ga. Clip Flush Face Snap-on	20 ga. Clip Drip Profile Snap-on	16 ga. Clip/ 20 ga. Riser Flush Face Snap-on	20 ga. Clip Drip Profile Snap-on	20 ga Cleat (Inside and Outside) Crimp-on
TESTED MAX WALL WIDTH	24" (.040"/24 ga.) 32" (.050"/.063"/22 ga.)	16"	24"*	N/A	24"
ANSI/SPRI/FM 4435/ ES-1 TESTED	X	X	X*		X
FM APPROVED	X	X	X*		X
MIAMI-DADE COUNTY APPROVED	X	X	X*		X

* Single Cantilever Version Only



TremLock Expansion Joints

VERSATILE, ECONOMICAL PRODUCTS IN A RANGE OF DESIGNS, COLORS AND FINISHES

TremLock Expansion Joints bring exactly what you need for your building. The right design, the right quality, the right color and finish— all at the right price.



Roof to Roof Version



Roof to Wall Version

TremLock Accessories

HIGH-QUALITY ACCESSORIES FOR NEARLY ANY PROJECT

Our factory-fabricated accessories are the perfect complement to our large selection of products. They can also be used effectively in stand-alone applications.



1 piece counter flashing
SURFACE MOUNTED VERSION



1 piece counter flashing
REGLET VERSION



2 piece counter flashing
REGLET VERSION



2 piece counter flashing
SURFACE MOUNTED VERSION



2 piece counter flashing
THRU WALL VERSION

TremLock Seal-Tite

SUPERIOR ROOF DRAINAGE WITH AN ATTRACTIVE APPEARANCE

Unique design, superior roof drainage, and attractive appearance make TremLock Seal-Tite Gutters and downspouts stand out from the crowd. TremLock Seal-Tite WR Gutters are specifically engineered and tested to meet the requirements of the ANSI/SPRI GT-1 Standard for Gutter Systems Used with Low-Slope Roofs. The design incorporates a 1" wide extruded internal gutter hanger for strength and support. It also reduces the torque of the metal with expansion and contraction in temperature changes.

TREMLOCK SEAL-TITE GUTTER ADVANTAGES

- Includes Tremco wind warranty upon approval
- ANSI/SPRI/GT-1 tested to comply with International Building Code (WR Gutters)
- Slotted fastening holes to ensure correct fastener placement and spacing
- Prefabricated miters, fasteners, and accessories ensure proper fit and eliminates field fabrication miters create a clean appearance

PRODUCT LINE	 WR GUTTER*	 LT GUTTERS	 INDUSTRIAL DOWNSPOUTS	 LT DOWNSPOUTS
VERSIONS	<ul style="list-style-type: none"> • Offset • Chamfer • Box 	<ul style="list-style-type: none"> • Half Round • K-Style 	<ul style="list-style-type: none"> • Closed • Open Face 	<ul style="list-style-type: none"> • Round • Corrugated
MATERIALS	24 ga. 22 ga. .040", .050", .063"	24 ga. 22 ga. .032", .040", .050"	24 ga. 22 ga. .040", .050", .063"	24 ga. 22 ga. .032", .040", .050"
WIND WARRANTY	30 Year, 160 MPH	10 Year, 90 MPH	5 Year Workmanship	5 Year Workmanship
ANSI/SPRI GT-1 TESTED	X		N/A	N/A
FM APPROVED	X		N/A	N/A
MIAMI-DADE COUNTY APPROVED	X		N/A	N/A

* Gutters are available in 10"-13", but do not have any testing, approvals, or wind warranty.

OTHER WATER CONTROL PRODUCTS

- Scuppers and Collection Boxes
- Flow-Thru Drain Bar
- Garden-Tite Drain Bar
- Garden-Tite Inspection Chamber



THE INDUSTRY'S BEST WARRANTIES

Because every TremLock Edge Systems product is carefully designed, fabricated, and tested, we stand by our quality with industry leading wind and performance warranties. Tremco warranties are for replacement or repair of any portion of the system that has failed due to a defect in Tremco-supplied materials. Our warranties cover the roof edge for the number of years listed on the roof on which it was originally installed.


PRODUCT LINE	WARRANTY				
	LIFETIME 215 MPH WIND	30 YEAR 160 MPH WIND	20 YEAR 120 MPH WIND	10 YEAR 90 MPH WIND	5 YEAR WORKMANSHIP
ACCESSORIES					X
TREMLOCK 215 (FASCIA & DRIP EDGE)	X				X
TREMLOCK ECO EDGE (FASCIA)			X		X
TREMLOCK ECO EDGE (COPING, DRIP EDGE, GRAVEL STOP)				X	X
TREMLOCK ALUMINAILER AND EDGEBOX RI (WOOD NAILER ALTERNATIVE)	X				X
TREMLOCK INFINITY GOLD (COPING)	X				X
TREMLOCK INFINITY (COPING & FASCIA)			X		X

*All products listed above include a Kynar® Paint Warranty. Custom post-coated Kynar 500® colors are available with an included 10 year Kynar 500® finish warranty or a 20 year Kynar 500® finish warranty is available upon request.


VIBRANT COLORS THAT CAPTURE YOUR VISION

Choose among a wide range of standard colors and finishes that meet your job requirements. A 30 year Kynar 500® finish warranty is included on coil-coated standard colors. Custom post-coated Kynar 500 colors are available with an included 10 year Kynar 500 finish warranty or a 20 year Kynar 500 finish warranty is available upon request.


EXPRESS COLORS*



PREMIUM COLORS



STANDARD COLORS



* Available in three other stone colors
 * Available in Mill Finish
 ▲ Must specify supplier



Find your nearest Tremco Roofing sales representative at tremcoroofing.com/find-a-rep

3735 Green Road | Beachwood, OH | 44122
220 Wicksteed Avenue | Toronto, ON | M4H 1G7
tremcoroofing.com | 800.852.6013



Roofing & Building Maintenance

Tremco Roofing and Building Maintenance is part of Tremco Construction Products Group, offers a full range of sophisticated analytical, maintenance and information-based services with one simple goal – to maximize the life of your roof and protect the value of your building.

© 2023 Tremco CPG Inc. 7591