

# SAFETY DATA SHEET

## 1. Identification

**Material name:** POWERPLY PLUS HT FR - WHITE GRANULE  
**Material:** 036PLHTFR601

**Recommended use and restriction on use**

**Recommended use:** Article  
**Restrictions on use:** Not known.

**Manufacturer/Importer/Supplier/Distributor Information**

Tremco U.S. Roofing  
3735 Green Road  
Cleveland OH 44122  
US

**Contact person:** EH&S Department  
**Telephone:** 216-292-5000  
**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

|   |             |
|---|-------------|
| Acute toxicity (Inhalation - dust and mist) | Category 4  |
| Carcinogenicity                             | Category 1A |

#### Unknown toxicity - Health

|  |         |
|--|---------|
| Acute toxicity, oral                     | 6.87 %  |
| Acute toxicity, dermal                   | 25.57 % |
| Acute toxicity, inhalation, vapor        | 100 %   |
| Acute toxicity, inhalation, dust or mist | 85.01 % |

#### Unknown toxicity - Environment

|  |         |
|--|---------|
| Acute hazards to the aquatic environment   | 97.93 % |
| Chronic hazards to the aquatic environment | 100 %   |

### Label Elements

**Hazard Symbol:**



**Signal Word:** Danger

**Hazard Statement:** Harmful if inhaled.  
May cause cancer.

**Precautionary Statement: Prevention:**

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:**

None.

**3. Composition/information on ingredients**

**Mixtures**

| Chemical Identity                           | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| Asphalt                                     | 8052-42-4  | 15 - 40%                |
| Aluminum hydroxide                          | 21645-51-2 | 10 - 30%                |
| Crystalline Silica (Quartz)/<br>Silica Sand | 14808-60-7 | 5 - 10%                 |
| Fibrous Glass                               | 65997-17-3 | 1 - 5%                  |
| Clay  | 1332-58-7  | 1 - 5%                  |
| Carbon Black                                | 1333-86-4  | 0.1 - 1%                |
| Iron oxide                                  | 1309-37-1  | 0.1 - 1%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**Ingestion:** Rinse mouth thoroughly.

**Inhalation:** Move to fresh air.

**Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.

**Eye contact:** Rinse immediately with plenty of water.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** May cause skin and eye irritation.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Symptoms may be delayed.

**5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

**7. Handling and storage**

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

**8. Exposure controls/personal protection**

**Control Parameters**

**Occupational Exposure Limits**

| Chemical Identity   | type | Exposure Limit Values                           | Source  |
|---|------|---|---|
| Asphalt - Inhalable fraction. - as benzene solubles             | TWA  | 0.5 mg/m <sup>3</sup>                           | US. ACGIH Threshold Limit Values (2011)                                     |
| Aluminum hydroxide - Respirable fraction.                       | TWA  | 1 mg/m <sup>3</sup>                             | US. ACGIH Threshold Limit Values (2011)                                     |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA  | 0.025 mg/m <sup>3</sup>                         | US. ACGIH Threshold Limit Values (2011)                                     |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable.          | TWA  | 2.4 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)                                |
|   | TWA  | 0.1 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)                                |
| Crystalline Silica (Quartz)/ Silica Sand - Total dust.          | TWA  | 0.3 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)                                |
| Fibrous Glass - Inhalable fraction.                             | TWA  | 5 mg/m <sup>3</sup>                             | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Fibrous Glass - Fiber.  | TWA  | 1 fibers/cm <sup>3</sup>                        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | TWA  | 1 fibers/cm <sup>3</sup>                        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | TWA  | 1 fibers/cm <sup>3</sup>                        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | TWA  | 1 fibers/cm <sup>3</sup>                        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | TWA  | 1 fibers/cm <sup>3</sup>                        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|   | TWA  | 0.2 fibers/cm <sup>3</sup>                      | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Clay - Respirable fraction.                                     | TWA  | 2 mg/m <sup>3</sup>                             | US. ACGIH Threshold Limit Values (2011)                                     |
|   | PEL  | 5 mg/m <sup>3</sup>                             | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Clay - Total dust.  | PEL  | 15 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Iron oxide - Respirable fraction.                               | TWA  | 5 mg/m <sup>3</sup>                             | US. ACGIH Threshold Limit Values (2011)                                     |
| Iron oxide - Fume.  | PEL  | 10 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Carbon Black - Inhalable fraction.                              | TWA  | 3 mg/m <sup>3</sup>                             | US. ACGIH Threshold Limit Values (2011)                                     |
| Carbon Black  | PEL  | 3.5 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name   | type  | Exposure Limit Values      | Source  |
|---|-------|----------------------------|---|
| Asphalt - Aerosol, inhalable. - as benzene solubles             | TWA   | 0.5 mg/m <sup>3</sup>      | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Asphalt - Inhalable fraction. - as benzene solubles             | TWAEV | 0.5 mg/m <sup>3</sup>      | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Asphalt - Fume.   | TWA   | 5 mg/m <sup>3</sup>        | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Aluminum hydroxide - Respirable.                                | TWA   | 1 mg/m <sup>3</sup>        | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Aluminum hydroxide - Respirable fraction.                       | TWAEV | 1 mg/m <sup>3</sup>        | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction. | TWA   | 0.025 mg/m <sup>3</sup>    | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable.          | TWAEV | 0.10 mg/m <sup>3</sup>     | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.     | TWA   | 0.1 mg/m <sup>3</sup>      | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Fibrous Glass - Fiber.  | TWA   | 0.2 fibers/cm <sup>3</sup> | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|   | TWA   | 1 fibers/cm <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |

|                                    |       |   |   |
|------------------------------------|-------|---|---|
| Fibrous Glass - Inhalable fibers.  | TWA   | 5 mg/m <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Fibrous Glass - Inhalable          | TWAEV | 5 mg/m <sup>3</sup>   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Fibrous Glass - Respirable fibers. | TWAEV | 1 fibers/mL   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Fibrous Glass - Fiber.             | TWAEV | 0.2 fibers/mL   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Fibrous Glass - Total dust.        | TWA   | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Fibrous Glass - Fiber.             | TWA   | 1 fibres/cm <sup>3</sup> (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
|                                    | TWA   | 2 fibres/cm <sup>3</sup> (non-asbestos fibres) -- size restrictions apply | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |

|                             |       |           |   |
|-----------------------------|-------|-----------|---|
| Clay - Respirable.          | TWA   | 2 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Clay - Respirable fraction. | TWAEV | 2 mg/m3   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Clay - Respirable dust.     | TWA   | 5 mg/m3   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Carbon Black - Inhalable    | TWA   | 3 mg/m3   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011) |
| Carbon Black                | TWAEV | 3.5 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Carbon Black                | TWA   | 3.5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |

**Appropriate Engineering Controls** Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

**Individual protection measures, such as personal protective equipment**

- General information:** Use personal protective equipment as required.
- Eye/face protection:** Wear goggles/face shield.
- Skin Protection**
  - Hand Protection:** Use suitable protective gloves if risk of skin contact.
  - Other:** No data available.
- Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
- Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties**

**Appearance**

- Physical state:** solid
- Form:** solid
- Color:** Various
- Odor:** Slight
- Odor threshold:** No data available.

|  |                    |
|--|--------------------|
| <b>pH:</b>   | No data available. |
| <b>Melting point/freezing point:</b>                         | No data available. |
| <b>Initial boiling point and boiling range:</b>              | No data available. |
| <b>Flash Point:</b>  | No data available. |
| <b>Evaporation rate:</b>                                     | No data available. |
| <b>Flammability (solid, gas):</b>                            | No                 |
| <b>Upper/lower limit on flammability or explosive limits</b> |                    |
| <b>Flammability limit - upper (%):</b>                       | No data available. |
| <b>Flammability limit - lower (%):</b>                       | No data available. |
| <b>Explosive limit - upper (%):</b>                          | No data available. |
| <b>Explosive limit - lower (%):</b>                          | No data available. |
| <b>Vapor pressure:</b>                                       | No data available. |
| <b>Vapor density:</b>  | No data available. |
| <b>Relative density:</b>                                     | 1.3                |
| <b>Solubility(ies)</b>                                       |                    |
| <b>Solubility in water:</b>                                  | Insoluble in water |
| <b>Solubility (other):</b>                                   | No data available. |
| <b>Partition coefficient (n-octanol/water):</b>              | No data available. |
| <b>Auto-ignition temperature:</b>                            | No data available. |
| <b>Decomposition temperature:</b>                            | No data available. |
| <b>Viscosity:</b>  | No data available. |

## 10. Stability and reactivity

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.  |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of Hazardous Reactions:</b> | No data available.  |
| <b>Conditions to Avoid:</b>                | Avoid heat or contamination.  |
| <b>Incompatible Materials:</b>             | No data available.  |
| <b>Hazardous Decomposition Products:</b>   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

## 11. Toxicological information

### Information on likely routes of exposure

|                      |   |
|----------------------|---|
| <b>Ingestion:</b>    | May be ingested by accident. Ingestion may cause irritation and malaise.                      |
| <b>Inhalation:</b>   | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | Moderately irritating to skin with prolonged exposure.  |
| <b>Eye contact:</b>  | Eye contact is possible and should be avoided.  |



**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)****Oral****Product:** No data available.**Dermal****Product:** ATEmix: 5,133.51 mg/kg**Inhalation****Product:** ATEmix: 2.3 mg/l**Repeated dose toxicity****Product:** No data available.**Skin Corrosion/Irritation****Product:** No data available.**Serious Eye Damage/Eye Irritation****Product:** No data available.**Specified substance(s):**

Asphalt in vivo (Rabbit, 24 hrs): Not irritating

Aluminum hydroxide in vivo (Rabbit, 24 hrs): Not irritating

Carbon Black in vivo (Rabbit, 24 - 72 hrs): Not irritating

Iron oxide in vivo (Rabbit, 1 - 72 hrs): Not irritating

**Respiratory or Skin Sensitization****Product:** No data available.**Carcinogenicity****Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

|  |   |
|--|---|
| Asphalt                                  | Overall evaluation: Possibly carcinogenic to humans.  |
| Crystalline Silica (Quartz)/ Silica Sand | Overall evaluation: Carcinogenic to humans.   |
| Fibrous Glass                            | Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Possibly carcinogenic to humans. Overall evaluation: Possibly carcinogenic to humans. |
| Carbon Black                             | Overall evaluation: Possibly carcinogenic to humans.  |

**US. National Toxicology Program (NTP) Report on Carcinogens:**

|  |   |
|--|---|
| Crystalline Silica (Quartz)/ Silica Sand | Known To Be Human Carcinogen.   |
| Fibrous Glass                            | Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. |

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity**

**In vitro**  
**Product:** No data available.

**In vivo**  
**Product:** No data available.

**Reproductive toxicity**  
**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**  
**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**  
**Product:** No data available.

**Aspiration Hazard**  
**Product:** No data available.

**Other effects:** No data available.

**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Specified substance(s):**Asphalt NOAEL (Oncorhynchus mykiss, 28 d):  $\geq 1,000$  mg/l interpreted

Aluminum hydroxide LOAEL (Pimephales promelas, 28 d): 53.8 mg/l experimental result

Carbon Black NOAEL (Salmo sp., 30 d): 17 mg/l QSAR

Iron oxide LOAEL (Pimephales promelas, 33 d): 1.6 mg/l experimental result

**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative Potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log Kow)****Product:** No data available.**Mobility in Soil:** No data available.

**Other Adverse Effects:** No data available.

## 13. Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:** No data available.

## 14. Transport information

**TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated

## 15. Regulatory information

### US Federal Regulations

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Asphalt                  | 100 lbs.                   |

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories**  
Immediate (Acute) Health Hazards  
Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance**  
None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**  

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Asphalt                  | 100 lbs.                   |

### SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u>                    | <u>Threshold Planning Quantity</u> |
|---|------------------------------------|
| Asphalt                                     | 500 lbs                            |
| Aluminum hydroxide                          | 500 lbs                            |
| Crystalline Silica (Quartz)/<br>Silica Sand | 500 lbs                            |
| Fibrous Glass                               | 500 lbs                            |
| Clay  | 500 lbs                            |
| Carbon Black                                | 500 lbs                            |
| Iron oxide                                  | 500 lbs                            |

### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

## US State Regulations

### US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

### US. New Jersey Worker and Community Right-to-Know Act

#### Chemical Identity

Asphalt  
Crystalline Silica (Quartz)/ Silica Sand  
Fibrous Glass  
Clay

### US. Massachusetts RTK - Substance List

#### Chemical Identity

Asphalt  
Crystalline Silica (Quartz)/ Silica Sand  
Fibrous Glass  
Clay

### US. Pennsylvania RTK - Hazardous Substances

#### Chemical Identity

Asphalt  
Crystalline Silica (Quartz)/ Silica Sand  
Fibrous Glass  
Clay

### US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

## Other Regulations:

### Inventory Status:

Australia AICS:

One or more components in this product are not listed on or exempt from the Inventory.

---

|  |  |
|--|--|
| Canada DSL Inventory List:               | All components in this product are listed on or exempt from the Inventory.             |
| EINECS, ELINCS or NLP:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory:                       | All components in this product are listed on or exempt from the Inventory.             |
| New Zealand Inventory of Chemicals:      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:             | One or more components in this product are not listed on or exempt from the Inventory. |

**16. Other information, including date of preparation or last revision****Revision Date:** 07/29/2015**Version #:** 1.0**Further Information:** No data available.**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.