

# SAFETY DATA SHEET

**1. Identification**

**Material name:** TREMLINE EXTENSION KIT 8"  
**Material:** 040371 501

**Recommended use and restriction on use**

**Recommended use:** Article  
**Restrictions on use:** Not known.

**Manufacturer/Importer/Supplier/Distributor Information**

Tremco U.S. Roofing  
3735 Green Road  
Beachwood OH 44122  
US

|                                    |  |
|------------------------------------|--|
| <b>Contact person:</b>             | EH&S Department                              |
| <b>Telephone:</b>                  | 216-292-5000                                 |
| <b>Emergency telephone number:</b> | 1-800-424-9300 (US); 1-613-996-6666 (Canada) |

**2. Hazard(s) identification**

**Hazard Classification**

**Health Hazards**

|   |            |
|---|------------|
| Acute toxicity (Inhalation - dust and mist) | Category 4 |
|---|------------|

**Unknown toxicity - Health**

|  |         |
|--|---------|
| Acute toxicity, oral                     | 0 %     |
| Acute toxicity, dermal                   | 98.38 % |
| Acute toxicity, inhalation, vapor        | 100 %   |
| Acute toxicity, inhalation, dust or mist | 4.54 %  |

**Environmental Hazards**

|  |            |
|--|------------|
| Acute hazards to the aquatic environment | Category 1 |
|--|------------|

**Unknown toxicity - Environment**

|  |        |
|--|--------|
| Acute hazards to the aquatic environment   | 1.93 % |
| Chronic hazards to the aquatic environment | 100 %  |

**Label Elements**

**Hazard Symbol:**



**Signal Word:** Warning

**Hazard Statement:** Harmful if inhaled.  
Very toxic to aquatic life.

**Precautionary Statement:**

**Prevention:** Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Collect spillage.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other hazards which do not result in GHS classification:** None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-------------------|------------|-------------------------|
| Aluminum          | 7429-90-5  | 60 - 100%               |
| Zinc              | 7440-66-6  | 1 - 5%                  |
| Silicon           | 7440-21-3  | 1 - 5%                  |
| Copper            | 7440-50-8  | 0.5 - 1.5%              |
| Manganese         | 7439-96-5  | 0.5 - 1.5%              |
| Chromium          | 7440-47-3  | 0.1 - 1%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** May cause skin and eye irritation.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** Get medical attention if symptoms occur.

**5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

**7. Handling and storage**

**Precautions for safe handling:** Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

**Conditions for safe storage, including any incompatibilities:** Store away from incompatible materials. Store in original tightly closed container.

**8. Exposure controls/personal protection****Control Parameters**

**Occupational Exposure Limits**

| <b>Chemical Identity</b>                 | <b>type</b> | <b>Exposure Limit Values</b> | <b>Source</b>   |
|--|-------------|------------------------------|---|
| Aluminum - Respirable fraction.          | TWA         | 1 mg/m <sup>3</sup>          | US. ACGIH Threshold Limit Values (2011)                                     |
| Aluminum - Respirable dust. - as Al      | PEL         | 5 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Aluminum - Total dust. - as Al           | PEL         | 15 mg/m <sup>3</sup>         | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Silicon - Total dust.                    | PEL         | 15 mg/m <sup>3</sup>         | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Silicon - Respirable fraction.           | PEL         | 5 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Copper - Dust and mist. - as Cu          | TWA         | 1 mg/m <sup>3</sup>          | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Copper - Fume. - as Cu                   | TWA         | 0.2 mg/m <sup>3</sup>        | US. ACGIH Threshold Limit Values (03 2014)                                  |
|  | PEL         | 0.1 mg/m <sup>3</sup>        | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Copper - Dust and mist. - as Cu          | PEL         | 1 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Manganese - Inhalable fraction. - as Mn  | TWA         | 0.1 mg/m <sup>3</sup>        | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Manganese - Respirable fraction. - as Mn | TWA         | 0.02 mg/m <sup>3</sup>       | US. ACGIH Threshold Limit Values (03 2014)                                  |
| Manganese - Fume. - as Mn                | Ceiling     | 5 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Chromium - as Cr                         | TWA         | 0.5 mg/m <sup>3</sup>        | US. ACGIH Threshold Limit Values (2011)                                     |
|  | PEL         | 1 mg/m <sup>3</sup>          | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name                    | type  | Exposure Limit Values | Source  |
|----------------------------------|-------|-----------------------|---|
| Aluminum - Respirable.           | TWA   | 1 mg/m <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Aluminum - Respirable fraction.  | TWAEV | 1 mg/m <sup>3</sup>   | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Aluminum                         | TWA   | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Aluminum - Welding fume. - as Al | TWA   | 5 mg/m <sup>3</sup>   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Aluminum - as Al                 | TWA   | 5 mg/m <sup>3</sup>   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Silicon - Total dust.            | TWAEV | 10 mg/m <sup>3</sup>  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Silicon - Total dust.            | TWA   | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Manganese - as Mn                | TWA   | 0.2 mg/m <sup>3</sup> | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Manganese - as Mn                | TWAEV | 0.2 mg/m <sup>3</sup> | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Manganese - Fume. - as Mn        | TWA   | 1 mg/m <sup>3</sup>   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Manganese - Dust. - as Mn        | TWA   | 5 mg/m <sup>3</sup>   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Manganese - Fume. - as Mn        | STEL  | 3 mg/m <sup>3</sup>   | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
| Chromium                         | TWA   | 0.5 mg/m <sup>3</sup> | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Chromium - as Cr                 | TWAEV | 0.5 mg/m <sup>3</sup> | Canada. Ontario OELs. (Control of   |

|          |     |           |  |
|----------|-----|-----------|--|
|          |     |           | Exposure to Biological or Chemical Agents) (11 2010)   |
| Chromium | TWA | 0.5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008) |

**Appropriate Engineering Controls** Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

**Individual protection measures, such as personal protective equipment**

- General information:** Use personal protective equipment as required.
- Eye/face protection:** Wear goggles/face shield.
- Skin Protection**
  - Hand Protection:** Use suitable protective gloves if risk of skin contact.
  - Other:** No data available.
- Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
- Hygiene measures:** Observe good industrial hygiene practices.

**9. Physical and chemical properties**

**Appearance**

- Physical state:** solid
- Form:** No data available.
- Color:** Various
- Odor:** Odorless
- Odor threshold:** No data available.
- pH:** No data available.
- Melting point/freezing point:** No data available.
- Initial boiling point and boiling range:** No data available.
- Flash Point:** No data available.
- Evaporation rate:** No data available.
- Flammability (solid, gas):** No
- Upper/lower limit on flammability or explosive limits**
  - Flammability limit - upper (%):** No data available.
  - Flammability limit - lower (%):** No data available.
  - Explosive limit - upper (%):** No data available.
  - Explosive limit - lower (%):** No data available.
- Vapor pressure:** No data available.
- Vapor density:** No data available.
- Relative density:** 2.73
- Solubility(ies)**
  - Solubility in water:** Insoluble in water

|   |                    |
|---|--------------------|
| <b>Solubility (other):</b>                      | No data available. |
| <b>Partition coefficient (n-octanol/water):</b> | No data available. |
| <b>Auto-ignition temperature:</b>               | No data available. |
| <b>Decomposition temperature:</b>               | No data available. |
| <b>Viscosity:</b>                               | No data available. |

**10. Stability and reactivity**

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.  |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of Hazardous Reactions:</b> | No data available.  |
| <b>Conditions to Avoid:</b>                | Avoid heat or contamination.  |
| <b>Incompatible Materials:</b>             | No data available.  |
| <b>Hazardous Decomposition Products:</b>   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

**11. Toxicological information****Information on likely routes of exposure**

|                      |   |
|----------------------|---|
| <b>Ingestion:</b>    | May be ingested by accident. Ingestion may cause irritation and malaise.                      |
| <b>Inhalation:</b>   | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | Causes mild skin irritation.  |
| <b>Eye contact:</b>  | Eye contact is possible and should be avoided.  |

**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)**

|                               |                          |
|-------------------------------|--------------------------|
| <b>Oral</b>                   |                          |
| <b>Product:</b>               | ATEmix: 116,959.06 mg/kg |
| <b>Dermal</b>                 |                          |
| <b>Product:</b>               | No data available.       |
| <b>Inhalation</b>             |                          |
| <b>Product:</b>               | ATEmix: 2.44 mg/l        |
| <b>Repeated dose toxicity</b> |                          |
| <b>Product:</b>               | No data available.       |

**Skin Corrosion/Irritation**

**Product:** No data available.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

|           |  |
|-----------|--|
| Aluminum  | in vivo (Rabbit, 24 hrs): Not irritating           |
| Zinc      | in vivo (Rabbit, 24 - 72 hrs): Slightly irritating |
| Silicon   | in vivo (Rabbit, 1 hrs): Not irritating            |
| Copper    | Irritating   |
| Manganese | in vivo (Rabbit, 24 - 72 hrs): Not irritating      |
| Chromium  | in vivo (Rabbit, 1 hrs): Not irritating            |

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Carcinogenicity**

**Product:** No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity****In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Aspiration Hazard**

**Product:** No data available.



**Other effects:** No data available.

|                                   |
|-----------------------------------|
| <b>12. Ecological information</b> |
|-----------------------------------|

**Ecotoxicity:**

**Acute hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

|           |  |
|-----------|--|
| Aluminum  | LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.31 mg/l Mortality             |
| Zinc      | LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 0.41 mg/l Mortality             |
| Copper    | LC 50 (Fathead minnow (Pimephales promelas), 96 h): 0.114 mg/l Mortality                           |
| Manganese | LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 28 d): > 0.17 - < 15.61 mg/l Mortality |
| Chromium  | LC 50 (Fathead minnow (Pimephales promelas), 96 h): 52 mg/l Mortality                              |

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s):**

|           |   |
|-----------|---|
| Aluminum  | LC 50 (Water flea (Daphnia magna), 24 h): 3.5 mg/l Mortality                  |
|           | LC 50 (Rotifer (Brachionus calyciflorus), 24 h): > 3 mg/l Mortality           |
|           | LC 50 (Ridged-beak peaclam (Pisidium compressum), 96 h): > 0.4 mg/l Mortality |
|           | LC 50 (Scud (Hyalella azteca), 96 h): > 1 mg/l Mortality                      |
|           | LC 50 (Snail (Amnicola limosa), 96 h): > 1 mg/l Mortality                     |
| Zinc      | LC 50 (Rotifer (Brachionus calyciflorus), 24 h): 1.1 - 1.4 mg/l Mortality     |
|           | LC 50 (Rotifer (Brachionus plicatilis), 24 h): > 4.8 mg/l Mortality           |
| Copper    | LC 50 (Water flea (Daphnia magna), 24 h): 0.0094 mg/l Mortality               |
|           | LC 50 (Water flea (Ceriodaphnia dubia), 24 h): +/- +/- 0.05 mg/l Mortality    |
|           | LC 50 (Water flea (Ceriodaphnia dubia), 24 h): +/- +/- 0.125 mg/l Mortality   |
|           | LC 50 (Water flea (Ceriodaphnia dubia), 24 h): +/- +/- 0.1 mg/l Mortality     |
|           | LC 50 (Water flea (Ceriodaphnia dubia), 24 h): +/- +/- 0.075 mg/l Mortality   |
| Manganese | EC 50 (Water flea (Daphnia magna), 48 h): 40 mg/l Intoxication                |
| Chromium  | LC 50 (Spire snail (Amnicola), 24 h): 10.2 mg/l Mortality                     |

**Chronic hazards to the aquatic environment:**

**Fish**

**Product:** No data available.

**Specified substance(s):**

Aluminum LOAEL (Pimephales promelas, 28 d): 11.9 mg/l experimental result  
EC 50 (Pimephales promelas, 7 d): 0.695 mg/l experimental result  
LOAEL (Salvelinus fontinalis, 30 d): 0.169 mg/l experimental result  
EC 50 (Pimephales promelas, 7 d): 3.999 mg/l experimental result  
EC 10 (Pimephales promelas, 7 d): 0.726 mg/l experimental result

Zinc NOAEL (Oncorhynchus mykiss, 30 d): 974 µg/l interpreted

Copper NOAEL (Oncorhynchus mykiss, 60 d): 2.2 µg/l experimental result

**Aquatic Invertebrates**

**Product:** No data available.

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s):**

Copper LC 50 (Green algae (Scenedesmus dimorphus), 1 d): 0.0769 mg/l Mortality  
LC 50 (Green algae (Scenedesmus dimorphus), 3 d): 0.0623 mg/l Mortality  
LC 50 (Green algae (Enteromorpha), 5 d): 0.0099 mg/l Mortality  
LC 50 (Green algae (Scenedesmus dimorphus), 6 d): 0.0617 mg/l Mortality  
LC 50 (Green algae (Scenedesmus dimorphus), 9 d): 0.0627 mg/l Mortality

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**BOD/COD Ratio**

**Product:** No data available.

**Bioaccumulative Potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Specified substance(s):**

Aluminum Brook trout (Salvelinus fontinalis), Bioconcentration Factor (BCF): 36 (Flow through)

Zinc Threespine stickleback (Gasterosteus aculeatus), Bioconcentration Factor (BCF): < 1 (Static)

Copper Blue-green algae (Anacystis nidulans), Bioconcentration Factor (BCF): 2.12 (Static)

Manganese Eelgrass (Zostera marina), Bioconcentration Factor (BCF): 1,500,000 (Static) Bioconcentration factor calculated using dry weight tissue conc

Chromium Rainbow trout, donaldson trout (Oncorhynchus mykiss), Bioconcentration Factor (BCF): 1.34 (Static)

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Mobility in Soil:** No data available.  
**Other Adverse Effects:** Very toxic to aquatic organisms.

### 13. Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.  
**Contaminated Packaging:** No data available.

### 14. Transport information

**TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated

### 15. Regulatory information

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**  
None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Zinc                     | 1000 lbs.                  |
| Copper                   | 5000 lbs.                  |
| Chromium                 | 5000 lbs.                  |
| Nickel                   | 100 lbs.                   |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate (Acute) Health Hazards

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Zinc                     | 1000 lbs.                  |
| Copper                   | 5000 lbs.                  |
| Chromium                 | 5000 lbs.                  |
| Nickel                   | 100 lbs.                   |

**SARA 311/312 Hazardous Chemical**

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|------------------------------------|
| Aluminum                 | 500 lbs                            |
| Zinc                     | 500 lbs                            |
| Silicon                  | 500 lbs                            |
| Copper                   | 500 lbs                            |
| Manganese                | 500 lbs                            |
| Chromium                 | 500 lbs                            |

**SARA 313 (TRI Reporting)**

| <u>Chemical Identity</u> |
|--------------------------|
| Aluminum                 |
| Zinc                     |

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**US State Regulations****US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

**US. New Jersey Worker and Community Right-to-Know Act**

| <u>Chemical Identity</u> |
|--------------------------|
| Aluminum                 |
| Zinc                     |

**US. Massachusetts RTK - Substance List**

| <u>Chemical Identity</u> |
|--------------------------|
| Aluminum                 |
| Zinc                     |
| Chromium                 |
| Nickel                   |

**US. Pennsylvania RTK - Hazardous Substances**

| <u>Chemical Identity</u> |
|--------------------------|
| Aluminum                 |
| Zinc                     |
| Chromium                 |

## US. Rhode Island RTK

### Chemical Identity

Aluminum

Zinc

### Other Regulations:

**Regulatory VOC (less water  
and exempt solvent):  
VOC Method 310:**

0 g/l

Not available.

### Inventory Status:

Australia AICS:

All components in this product are listed on or exempt from the Inventory.

Canada DSL Inventory List:

All components in this product are listed on or exempt from the Inventory.

EINECS, ELINCS or NLP:

All components in this product are listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

All components in this product are listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI):

All components in this product are listed on or exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are not listed on or exempt from the Inventory.

Philippines PICCS:

All components in this product are listed on or exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or exempt from the Inventory.

New Zealand Inventory of Chemicals:

All components in this product are listed on or exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are not listed on or exempt from the Inventory.

**16. Other information, including date of preparation or last revision****Revision Date:** 08/15/2015**Version #:** 1.0**Further Information:** No data available.**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.