

# SAFETY DATA SHEET

### 1. Identification

### Material name: DECKTITE WDS SEALER 1 US GAL Material: 094001 801

### Recommended use and restriction on use

**Recommended use:** Coatings **Restrictions on use:** Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco CPG Inc. - U.S. Roofing 3735 Green Road Beachwood OH 44122 US

### Contact person: Telephone: Emergency telephone number:

EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

### 2. Hazard(s) identification

### **Hazard Classification**

### **Physical Hazards**

Flammable liquids	Category 3
-------------------	------------

#### **Unknown toxicity - Health**

Acute toxicity, oral Acute toxicity, dermal Acute toxicity, inhalation, vapor	0 % 98 % 98 %
Acute toxicity, inhalation, vapor Acute toxicity, inhalation, dust or mist	98 % 100 %
nknown toxicity - Environment	
Acute hazards to the aquatic	98 %
environment Chronic hazards to the aquatic	100 %
Unronic nazards to the aquatic	100 %

# Label Elements

U

### Hazard Symbol:

environment



Signal Word:

Warning

Hazard Statement:

Flammable liquid and vapor.

Precautionary



Statements:	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use to extinguish.
Storage:	Store in well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## 3. Composition/information on ingredients

### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Methanol	67-56-1	1 - <5%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

Ingestion:	Call a POISON CENTER/doctor//if you feel unwell. Rinse mouth.	
Inhalation:	Move to fresh air.	
Skin Contact:	Get medical attention if symptoms occur. Take off immediately all contaminated clothing. Rinse skin with water/shower.	
Eye contact:	Rinse immediately with plenty of water.	
Most important symptoms/effects	s, acute and delayed	
Symptoms:	Respiratory tract irritation.	
Indication of immediate medical at	ttention and special treatment needed	
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	



# Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Avoid water in straight hose stream; will scatter and spread fire.	
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.	
Special protective equipment and	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measures	3	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.	
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.	
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.	
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.	
7. Handling and storage		
Precautions for safe handling:	Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities:	Store in a well-ventilated place. Store in a cool place.	

8. Exposure controls/personal protection

### **Control Parameters**



### **Occupational Exposure Limits**

Chemical Identity	type	Exposure Limit Values	Source
Methanol	TWA	200 ppm	US. ACGIH Threshold Limit Values (2011)
	STEL	250 ppm	US. ACGIH Threshold Limit Values (2011)
	PEL	200 ppm 260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)

Chemical name	type	Exposure Limit V	alues	Source
Methanol	STEL	250 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	200 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Methanol	STEL	250 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWA	200 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Methanol	TWA	200 ppm	262 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	250 ppm	328 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

### **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Methanol (methanol:	15 mg/l (Urine)	ACGIH BEI (03 2013)
Sampling time: End of		
shift.)		

### Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.



### Individual protection measures, such as personal protective equipment

General information:	Use explosion-proof ventilation equipment. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	When using do not smoke. Observe good industrial hygiene practices.

# 9. Physical and chemical properties

### Appearance

Physical state:		liquid
Form:		liquid
Color:		Colorless
Odor:		Mild petroleum/solvent
Odor threshold:		No data available.
pH:		10
Melting point/freezing po	int:	No data available.
Initial boiling point and b	oiling range:	155 °C 311 °F
Flash Point:		37.0 °C 98.6 °F
Evaporation rate:		Slower than Ether
Flammability (solid, gas)	:	No
Upper/lower limit on flam	mability or explosiv	ve limits
Flammability limit -	upper (%):	No data available.
Flammability limit -	ower (%):	No data available.
Explosive limit - upp	oer (%):	No data available.
Explosive limit - low	er (%):	No data available.
Vapor pressure:		5 mmHg
Vapor density:		Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:		0.933
Solubility(ies)		
Solubility in water:		Practically Insoluble
Solubility (other):		No data available.
Partition coefficient (n-od	ctanol/water):	No data available.
Auto-ignition temperatur	e:	No data available.



Decomposition temperature: Viscosity:	No data available. No data available.	
10. Stability and reactivity		
Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	No data available.	
Conditions to avoid:	Heat, sparks, flames.	
Incompatible Materials:	Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases.	
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	
11. Toxicological information	١	
Information on likely routes of e Ingestion:	xposure May be harmful if swallowed.	
Inhalation:	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.	
Skin Contact:	Moderately irritating to skin with prolonged exposure.	
Eye contact:	Eye contact is possible and should be avoided.	
Information on toxicological ef	fects	
Acute toxicity (list all possib	ble routes of exposure)	
Oral Product:	ATEmix: 2,040.82 mg/kg	
Dermal		

Product: No data available.

Inhalation Product: No data available.

# Repeated dose toxicity<br/>Product:No data available.

# Skin Corrosion/Irritation Product: No data available.



Specified substance(s): Methanol	in vivo (Rabbit): Experimental result, Key study	
Serious Eye Damage/Eye Irritation Product: No data available.		
Specified substance(s): Methanol	in vivo (Rabbit, 24 hrs): Not irritating	
Respiratory or Skin Sensitizatio Product:	n No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Germ Cell Mutagenicity		
Germ Cell Mutagenicity		
Germ Cell Mutagenicity In vitro Product:	No data available.	
In vitro	No data available. No data available.	
In vitro Product: In vivo		
In vitro Product: In vivo Product: Reproductive toxicity	No data available. No data available.	
In vitro Product: In vivo Product: Reproductive toxicity Product: Specific Target Organ Toxicity	No data available. No data available. - <b>Single Exposure</b> No data available.	
In vitro Product: In vivo Product: Reproductive toxicity Product: Specific Target Organ Toxicity Product: Specific Target Organ Toxicity	No data available. No data available. - <b>Single Exposure</b> No data available. - <b>Repeated Exposure</b>	



# 12. Ecological information

### Ecotoxicity:

### Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Methanol	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 28,200 mg/l Mortality
Aquatic Invertebrates Product:	No data available.
<b>Specified substance(s):</b> Methanol	LC 50 (Water flea (Daphnia magna), 24 h): 3,616 - 6,414 mg/l Mortality EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication LC 50 (Water flea (Daphnia magna), 96 h): > 100 mg/l Mortality LC 50 (Oligochaete, worm (Lumbriculus variegatus), 96 h): > 100 mg/l Mortality
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
<b>Specified substance(s):</b> Methanol	NOAEL (Oryzias latipes, 200 h): 15,800 mg/l Experimental result, Supporting study NOAEL (Oryzias latipes, 200 h): 158,000 mg/l Experimental result, Supporting study EC 50 (Oryzias latipes, 200 h): 9,164 mg/l Experimental result, Supporting study EC 50 (Oryzias latipes, 200 h): 10,270 mg/l Experimental result, Supporting study LOAEL (Oryzias latipes, 200 h): 7,900 mg/l Experimental result, Supporting study
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio	



Product:	No data available.
Bioaccumulative Potential Bioconcentration Factor (BC Product:	F) No data available.
<b>Specified substance(s):</b> Methanol	Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF): 28,400 (Static)
Partition Coefficient n-octanol / water (log Kow)Product:No data available.	
Specified substance(s): Methanol	Log Kow: -0.77
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.
14. Transport information	

### TDG:

UN1139, COATING SOLUTION (Isobutyl Trimethoxy Silane, Methanol), 3, PG II

### CFR / DOT:

UN1139, Coating solution (Isobutyl Trimethoxy Silane, Methanol), 3, PG II

### IMDG:

UN1139, COATING SOLUTION (Isobutyl Trimethoxy Silane, Methanol), 3, PG II

### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

### 15. Regulatory information

### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.



### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	<b>Reportable quantity</b>
Methanol	5000 lbs.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Fire Hazard

SARA 302 Extremely Hazardous Substance None present or none present in regulated quantities.

# SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
Methanol	5000 lbs.

SARA 311/312 Hazardous ChemicalChemical IdentityThreshold Planning QuantityMethanol500 lbs

#### SARA 313 (TRI Reporting) Chemical Identity Methanol

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): None present or none present in regulated quantities.

### **US State Regulations**

### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

### US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity Methanol

### **US. Massachusetts RTK - Substance List**

Chemical Identity Methanol

### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Methanol

US. Rhode Island RTK

Chemical Identity Methanol



### **Other Regulations:**

When appropriately mixed with the other part, product has a VOC less water and exempt solvent of:  $< 350 \ g/l$ 

Inventory Status:	
Australia AICS:	All components in this product are listed on or exempt from the Inventory.
Canada DSL Inventory List:	All components in this product are listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	All components in this product are listed on or exempt from the Inventory.
Japan (ENCS) List:	All components in this product are listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	All components in this product are listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	All components in this product are listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	All components in this product are listed on or exempt from the Inventory.
US TSCA Inventory:	All components in this product are listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	All components in this product are listed on or exempt from the Inventory.
Japan ISHL Listing:	All components in this product are listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Mexico INSQ:	One or more components in this product are not listed on or exempt from the Inventory.
Ontario Inventory:	One or more components in this product are not listed on or exempt from the Inventory.



Taiwan Chemical Substance Inventory:

One or more components in this product are not listed on or exempt from the Inventory.

## 16.Other information, including date of preparation or last revision

Revision Date:	10/05/2016
Version #:	3.2
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.