

# SAFETY DATA SHEET

# 1. Identification

Material name: SOLARGARD 6083 SCC SURREY BEIGE 53 GL Material: 1120042353D

### Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S. Roofing 3735 Green Road Cleveland OH 44122 US

Contact person: Telephone: Emergency telephone number:

EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

# **Hazard Classification**

Health Hazards	
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 2
Toxic to reproduction	Category 1B
Unknown toxicity - Health	
Acute toxicity, oral	32.53 %
Acute toxicity, dermal	37.62 %
Acute toxicity, inhalation, vapor	100 %
Acute toxicity, inhalation, dust or mist	99.77 %
nvironmental Hazards	
Acute hazards to the aquatic	Category 3
environment	
Unknown toxicity - Environment	
Acute hazards to the aquatic	94.02 %
environment	
Chronic hazards to the aquatic	100 %
environment	

### Label Elements

Env

## Hazard Symbol:





Signal Word:	Danger
Hazard Statement:	May cause genetic defects. Suspected of causing cancer. May damage fertility or the unborn child. Harmful to aquatic life.
Precautionary Statement:	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response:	If exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
nazards which do not n GHS classification:	None.

# 3. Composition/information on ingredients

#### **Mixtures**

Other result

Chemical Identity	CAS number	Content in percent (%)*
Titanium dioxide	13463-67-7	3 - 7%
Propylene glycol	57-55-6	1 - 5%
Aluminum oxide	1344-28-1	0.1 - 1%
n-(3,4-dichlorophenyl)-n,n- dimethylurea	330-54-1	0.1 - 1%
**	**	0.1 - 1%
Methyl benzimidazole-2-yl carbamate	10605-21-7	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Trade secret information:** \*\* A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4.	First-aid	measures

Ingestion:	Rinse mouth thoroughly.
Inhalation:	Move to fresh air.
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
Eye contact:	Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed



Symptoms:	May cause skin and eye irritation.	
Indication of immediate medical attention and special treatment needed		
Treatment:	Symptoms may be delayed.	
5. Fire-fighting measures		
General Fire Hazards:	No unusual fire or explosion hazards noted.	
Suitable (and unsuitable) ex	tinguishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.	
Special protective equipment and	d precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
6. Accidental release measures	6	
Personal precautions, protective equipment and emergency procedures:	No data available.	
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.	
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.	
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.	
7. Handling and storage		
Precautions for safe handling:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	



# Conditions for safe storage, Store locked up. including any incompatibilities:

# 8. Exposure controls/personal protection

# **Control Parameters**

# **Occupational Exposure Limits**

Chemical Identity	type	Exposure Limit Values	Source
Titanium dioxide	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)
Titanium dioxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Aluminum oxide - Respirable fraction.	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Aluminum oxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
n-(3,4-dichlorophenyl)- n,n-dimethylurea	TWA	10 mg/m3	US. ACGIH Threshold Limit Values (2011)
**	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)



Chemical name	type	Exposure Lin	nit Values	Source
Titanium dioxide - Total dust.	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide - Respirable fraction.	TWA		3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide	TWAEV		10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Titanium dioxide - Total dust.	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propylene glycol - Aerosol.	TWAEV		10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Propylene glycol - Vapor and aerosol, inhalable fraction.	TWAEV	50 ppm	155 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)

# Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

# Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.	
Eye/face protection:	Wear goggles/face shield.	
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.	
Other:	No data available.	
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.	
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.	

# 9. Physical and chemical properties

### Appearance

Physical state:	liquid
Form:	liquid
Color:	Brown



Odor:	Mild
Odor threshold:	No data available.
pH:	8 - 10
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	No data available.
Evaporation rate:	Slower than Ether
Flammability (solid, gas):	No
Upper/lower limit on flammability or explosi	ve limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	1.462
Solubility(ies)	
Solubility in water:	Soluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

# 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	No data available.
Conditions to Avoid:	Avoid heat or contamination.
Incompatible Materials:	Strong acids. Strong bases.
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

# 11. Toxicological information

Information on likely routes of ex Ingestion:	<b>posure</b> May be ingested by accident. Ingestion may cause irritation and malaise.
Inhalation:	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Moderately irritating to skin with prolonged exposure.



# Eye contact: Eye contact is possible and should be avoided.

No data available.

No data available.

#### Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Product:	No data available.
Dermal Product:	ATEmix: 69,081.68 mg/kg

Inhalation Product:

Oral

Repeated dose toxicity Product:

Skin Corrosion/Irritation Product: No data available.

# Serious Eye Damage/Eye Irritation

Product:No data available.Specified substance(s):<br/>Titanium dioxidein vivo (Rabbit, 24 - 72 hrs): Not irritatingPropylene glycol(Human): IrritatingAluminum oxidein vivo (Rabbit, 24 hrs): Not irritatingn-(3,4-dichlorophenyl)-<br/>n,n-dimethylureain vivo (Rabbit, 24 - 72 hrs): Not irritating

#### Respiratory or Skin Sensitization Product: No data available.

Carcinogenicity

Product: Suspected of causing cancer.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

### US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified



# Germ Cell Mutagenicity

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	May damage fertility or the unborn child.	
Specific Target Organ Toxicity - Single Exposure Product: No data available.		
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.		
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Titanium dioxide	LC 50 (Mummichog (Fundulus heteroclitus), 96 h): > 1,000 mg/l Mortality
Propylene glycol	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 55,770 mg/l Mortality
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Titanium dioxide	EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication
Propylene glycol	EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication LC 50 (Brine shrimp (Artemia salina), 24 h): > 10,000 mg/l Mortality
n-(3,4-dichlorophenyl)- n,n-dimethylurea	LC 50 (Northern quahog or hard clam (Mercenaria mercenaria), 12 d): > 5 mg/l Mortality LC 50 (Water flea (Daphnia pulex), 3 h): > 40 mg/l Mortality LC 50 (Water flea (Moina macrocopa), 3 h): > 40 mg/l Mortality
Methyl benzimidazole-2-	LC 50 (Water flea (Daphnia magna), 48 h): 0.38 - 0.56 mg/l Mortality



yl carbamate	LC 50 (Dungeness or edible crab (Cancer magister), 48 h): > 100 mg/l Mortality	
Chronic hazards to the aquation	c environment:	
Fish Product:	No data available.	
Specified substance(s): Titanium dioxide	LC 0 (Coregonus autumnalis migratorius G., 30 d): 3 mg/l experimental result	
Propylene glycol	NOAEL (Pimephales promelas, 7 d): 11,530 mg/l experimental result	
Aluminum oxide	NOAEL (Pimephales promelas, 28 d): 4.7 mg/l experimental result	
n-(3,4-dichlorophenyl)- n,n-dimethylurea	LC 50 (Oncorhynchus mykiss, 28 d): 4.01 mg/l experimental result	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative Potential Bioconcentration Factor (BC Product:	<b>CF)</b> No data available.	
Partition Coefficient n-octanol / water (log Kow) Product: No data available.		
Specified substance(s): Propylene glycol	Log Kow: -0.92	
n-(3,4-dichlorophenyl)- n,n-dimethylurea	Log Kow: 2.68	
Methyl benzimidazole-2- yl carbamate	Log Kow: 1.52	
Mobility in Soil:	No data available.	



Other Adverse Effects:	Harmful to aquatic organisms.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated Packaging:	No data available.
14. Transport information	

#### TDG:

Not Regulated

### CFR / DOT:

Not Regulated

# IMDG:

Not Regulated

# 15. Regulatory information

# **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
n-(3,4-dichlorophenyl)-	100 lbs.
n,n-dimethylurea	
Methyl benzimidazole-2-	10 lbs.
yl carbamate	
Ammonium hydroxide	1000 lbs.
Sodium nitrite	100 lbs.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# Hazard categories

Delayed (Chronic) Health Hazard

### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



# SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
n-(3,4-dichlorophenyl)-	100 lbs.
n,n-dimethylurea	
Methyl benzimidazole-2-	10 lbs.
yl carbamate	
Ammonium hydroxide	1000 lbs.
Sodium nitrite	100 lbs.
Phthalocyanine green	

# SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Titanium dioxide	500 lbs
Propylene glycol	500 lbs
Aluminum oxide	500 lbs
n-(3,4-dichlorophenyl)-n,n-	500 lbs
dimethylurea	
Kaolin Clay	500 lbs
Methyl benzimidazole-2-yl carbamate	500 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

## **US State Regulations**

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

## US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Titanium dioxide Propylene glycol

#### **US. Massachusetts RTK - Substance List**

Chemical Identity Titanium dioxide

# US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Titanium dioxide Propylene glycol

US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present.

## **Other Regulations:**

**Regulatory VOC (less water** 35 g/l and exempt solvent):



VOC Method 310:	1.28 %	
Inventory Status: Australia AICS:	One or more components in this pr not listed on or exempt from the Inv	
Canada DSL Inventory List:	One or more components in this pr not listed on or exempt from the Inv	
EINECS, ELINCS or NLP:	One or more components in this pr not listed on or exempt from the Inv	oduct are ventory.
Japan (ENCS) List:	One or more components in this pr not listed on or exempt from the Inv	oduct are ventory.
China Inv. Existing Chemical Substances:	One or more components in this pr not listed on or exempt from the Inv	
Korea Existing Chemicals Inv. (KECI):	One or more components in this pr not listed on or exempt from the Inv	oduct are ventory.
Canada NDSL Inventory:	One or more components in this pr not listed on or exempt from the Inv	
Philippines PICCS:	One or more components in this pr not listed on or exempt from the Inv	
US TSCA Inventory:	One or more components in this pr not listed on or exempt from the Inv	
New Zealand Inventory of Chemicals:	One or more components in this pr not listed on or exempt from the Inv	
Japan ISHL Listing:	One or more components in this pr not listed on or exempt from the Inv	
Japan Pharmacopoeia Listing:	One or more components in this pr not listed on or exempt from the Inv	

# 16.Other information, including date of preparation or last revision

Revision Date:	08/17/2015
Version #:	1.0
Further Information:	No data available.



## **Disclaimer:**

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.