

# SAFETY DATA SHEET

#### 1. Identification

Material name: TREMCO T24 COATING WHITE 53 GL Material: 2400700053D

#### Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco Incorporated 3735 Green Road BEACHWOOD OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

### 2. Hazard(s) identification

#### Hazard Classification

# Health Hazards

Carcinogenicity

Category 2

#### **Unknown toxicity - Health**

Acute toxicity, oral	49.86 %
Acute toxicity, dermal	59.5 %
Acute toxicity, inhalation, vapor	99.99 %
Acute toxicity, inhalation, dust or mist	99.78 %

#### Label Elements

#### Hazard Symbol:



Signal Word:

Precautionary

Warning

Hazard Statement:

Suspected of causing cancer.



Statements	
Prevention:	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
Response:	IF exposed or concerned: Get medical advice/attention.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Titanium dioxide	13463-67-7	7 - 13%
Zinc oxide	1314-13-2	3 - 7%
Isobutyric acid polymer	25265-77-4	1 - 5%
Aluminum oxide	1344-28-1	0.1 - 1%
Dipropylene glycol methyl ether	34590-94-8	0.1 - 1%
Glycerine	56-81-5	0.1 - 1%
n-(3,4-dichlorophenyl)-n,n- dimethylurea	330-54-1	0.1 - 1%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Ingestion:	Rinse mouth thoroughly.	
ingestion	rance mouth and edginy.	
Inhalation:	Move to fresh air.	
Skin Contact:	Remove contaminated clothing and wash the skin thoroughly with soap and water after work.	
Eye contact:	Rinse immediately with plenty of water.	
Most important symptoms/effects, acute and delayed		
Symptoms:	May cause skin and eye irritation.	
Indication of immediate medical attention and one ciel treatment needed		

#### Indication of immediate medical attention and special treatment needed



### 5. Fire-fighting measures

General Fire Hazards:	No unusual fire or explosion hazards noted.
General File nazalus.	

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.		
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters			
Special fire fighting procedures:	No data available.		
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be		

for fire-fighters: worn in case of fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	No data available.
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.
7. Handling and storage	

Precautions for safe handling:	Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

#### Conditions for safe storage, Store locked up. including any

incompatibilities:



## 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit	t Values	Source
Titanium dioxide	TWA		10 mg/m3	US. ACGIH Threshold Limit Values (2011)
Titanium dioxide - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air
				Contaminants (29 CFR 1910.1000) (02 2006)
Titanium dioxide - Respirable	TWA		5 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
fraction.			particles per	2016)
			cubic foot of air	
Titanium dioxide - Total dust.	TWA		15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Titanium dioxide - Respirable fraction.	TWA		5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Titanium dioxide - Total dust.	TWA		50 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
			particles per	2016)
			cubic foot of	
Zinc oxide - Respirable	TWA		air 2 mg/m3	US. ACGIH Threshold Limit Values (2011)
fraction.	STEL		0	· · ·
	-		10 mg/m3	US. ACGIH Threshold Limit Values (2011)
Zinc oxide - Fume.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Zinc oxide - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air
Zine suide Dessinable	DEI		E	Contaminants (29 CFR 1910.1000) (02 2006)
Zinc oxide - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Aluminum oxide - Respirable	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2011)
fraction.	1005		i ing/ino	
	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air
			0	Contaminants (29 CFR 1910.1000) (02 2006)
Aluminum oxide - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air
				Contaminants (29 CFR 1910.1000) (02 2006)
	TWA		0 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
			particles per cubic foot of	2016)
			air	
Aluminum oxide - Respirable	TWA	1	5 millions of	US. OSHA Table Z-3 (29 CFR 1910.1000) (03
fraction.			particles per	2016)
			cubic foot of	/
			air	
	TWA		5 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Aluminum oxide - Total dust.	TWA		15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)
Dipropylene glycol methyl ether	TWA	100 ppm		US. ACGIH Threshold Limit Values (2011)
	STEL	150 ppm		US. ACGIH Threshold Limit Values (2011)
	PEL	100 ppm	600 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Glycerine - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Glycerine - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
n-(3,4-dichlorophenyl)-n,n- dimethylurea	TWA		10 mg/m3	US. ACGIH Threshold Limit Values (2011)



Chemical name	Туре	Exposure Limit Values	Source
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide - Respirable fraction.	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Titanium dioxide	TWA	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Titanium dioxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Zinc oxide - Respirable.	TWA	2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Zinc oxide - Respirable fraction.	TWA	2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Zinc oxide - Fume.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Zinc oxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)

#### Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.

#### Individual protection measures, such as personal protective equipment

General information:	Use personal protective equipment as required.
Eye/face protection:	Wear goggles/face shield.
Skin Protection Hand Protection:	Use suitable protective gloves if risk of skin contact.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product.

#### 9. Physical and chemical properties



Appearance		
Physical state:		liquid
Form:		liquid
Color:		White
Odor:		Mild
Odor threshold:		No data available.
pH:		7.0 - 9.0
Melting point/freezing point:		No data available.
Initial boiling point and boiling r	ange:	100 °C 212 °F
Flash Point:		> 93 °C > 199 °F
Evaporation rate:		Slower than Ether
Flammability (solid, gas):		No
Upper/lower limit on flammabilit	y or explosi	ive limits
Flammability limit - upper (%):		No data available.
۳) Flammability limit - lower	%):	No data available.
Explosive limit - upper (%):		No data available.
Explosive limit - lower (%):		No data available.
Vapor pressure:		No data available.
Vapor density:		Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:		1.05
Solubility(ies)		
Solubility in water:		Soluble
Solubility (other):		No data available.
Partition coefficient (n-octanol/water):		No data available.
Auto-ignition temperature:		No data available.
Decomposition temperature:		No data available.
Viscosity:		No data available.
10. Stability and reactivity		
Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	No data available.	
Conditions to avoid:	Avoid heat or contamination.	
Incompatible Materials:	Strong acids. Strong bases.	
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	

# 11. Toxicological information



#### Information on likely routes of exposure

Inhalation:	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Moderately irritating to skin with prolonged exposure.
Eye contact:	Eye contact is possible and should be avoided.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Symptoms related to the physica	I, chemical and toxicological characteristics
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.
Information on toxicological effe	cts
Acute toxicity (list all possible	routes of exposure)
Oral Product:	ATEmix: 151,788.25 mg/kg
Dermal Product:	ATEmix: 25,540.76 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b> Titanium dioxide	LC 50 (Rat): 3.43 mg/l
Zinc oxide	LC 50 (Rat): > 5,700 mg/m3
Aluminum oxide	LC 50 (Rat): 7.6 mg/l
n-(3,4-dichlorophenyl)- n,n-dimethylurea	LC 50 (Rat): > 223 mg/m3
Repeated dose toxicity Product:	No data available.

No data available.



#### Specified substance(s):

n,n-dimethylurea

Titanium dioxide	in vivo (Rabbit): Not irritant Experimental result, Supporting study
Zinc oxide	in vivo (Rabbit): Not irritant Experimental result, Key study
Isobutyric acid polymer	in vivo (Rabbit): Category 3 Experimental result, Key study
Aluminum oxide	in vivo (Rabbit): Not irritant Experimental result, Key study
Dipropylene glycol methyl ether	in vivo Not irritant Experimental result, Key study
n-(3.4-dichlorophenvl)-	Possibly Irritating

in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritatio Product: Specified substance(s):	o <b>n</b> No data available.
Titanium dioxide	Rabbit, 24 hrs: Not irritating
Zinc oxide	Rabbit, 24 - 72 hrs: Not irritating
Isobutyric acid polymer	Rabbit, 24 hrs: Slightly irritating
Aluminum oxide	Rabbit, 24 hrs: Not irritating
Dipropylene glycol methyl ether	Rabbit, 24 - 72 hrs: Not irritating
Glycerine	Rabbit, 24 hrs: Not irritating

#### Respiratory or Skin Sensitization

No data available.

#### Carcinogenicity Product:

Product:

Suspected of causing cancer.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

#### US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified



#### Germ Cell Mutagenicity

In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Toxicity Product:	- Single Exposure No data available.
Specific Target Organ Toxicity Product:	- Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

# 12. Ecological information

#### Ecotoxicity:

#### Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): Zinc oxide	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2,246 mg/l Mortality
Glycerine	LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 96 h): 51,000 - 57,000 mg/l Mortality
n-(3,4-dichlorophenyl)- n,n-dimethylurea	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 13.4 - 15 mg/l Mortality
Aquatic Invertebrates Product:	No data available.
<b>Specified substance(s):</b> Titanium dioxide	EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication



n-(3,4-dichlorophenyl)-	EC 50 (Water flea (Daphnia pulex), 48 h): 1.4 mg/l Mortality
n,n-dimethylurea	

#### Chronic hazards to the aquatic environment:

Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (Be Product:	CF) No data available.
Partition Coefficient n-octanol / v Product:	water (log Kow) No data available.
Specified substance(s): Glycerine	Log Kow: -1.76
n-(3,4-dichlorophenyl)- n,n-dimethylurea	Log Kow: 2.68
Mobility in soil:	No data available.
Other adverse effects:	No data available.
13. Disposal considerations	
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: No data available.



#### 14. Transport information

#### TDG:

Not Regulated

#### CFR / DOT:

Not Regulated

#### IMDG:

Not Regulated

#### 15. Regulatory information

#### **US Federal Regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	<b>Reportable quantity</b>
n-(3,4-dichlorophenyl)-	100 lbs.
n,n-dimethylurea	
Methyl benzimidazole-2-	10 lbs.
yl carbamate	
Vinyl acetate	5000 lbs.
Sodium nitrite	100 lbs.
Methyl methacrylate	1000 lbs.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Delayed (Chronic) Health Hazard

#### SARA 302 Extremely Hazardous Substance

-	<b>Reportable</b>	
Chemical Identity	quantity	Threshold Planning Quantity
Vinyl acetate	5000 lbs.	1000 lbs.



#### SARA 304 Emergency Release Notification Chemical Identity Reportable quantity

Zinc oxide		
n-(3,4-dichlorophenyl)-	100 lbs.	
n,n-dimethylurea		
Methyl benzimidazole-2-	10 lbs.	
yl carbamate		
Vinyl acetate	5000 lbs.	
Sodium nitrite	100 lbs.	
Methyl methacrylate	1000 lbs.	

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Vinyl acetate	500lbs
Titanium dioxide	10000 lbs
Zinc oxide	10000 lbs
Isobutyric acid polymer	10000 lbs
Aluminum oxide	10000 lbs
Dipropylene glycol methyl ether	10000 lbs
Glycerine	10000 lbs
n-(3,4-dichlorophenyl)-n,n- dimethylurea	10000 lbs

SARA 313 (TRI Reporting)

Chemical Identity Zinc oxide

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Chemical Identity Reportable quantity

Chemical Identity	Reportable qua
Vinyl acetate	lbs

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**



WARNING

Cancer - www.P65Warnings.ca.gov

#### US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Titanium dioxide Zinc oxide

#### US. Massachusetts RTK - Substance List

**Chemical Identity** 

Titanium dioxide Zinc oxide Vinyl acetate



#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Titanium dioxide Zinc oxide

#### US. Rhode Island RTK

<u>Chemical Identity</u> Titanium dioxide Zinc oxide

#### International regulations

**Montreal protocol** 

Not applicable

#### Stockholm convention

Not applicable

#### Rotterdam convention

Not applicable

#### Kyoto protocol

Not applicable

#### VOC:

Regulatory VOC (less water and exempt solvent)	:	27 g/l
VOC Method 310	:	1.30 %



Inventory Status: Australia AICS:	One or more components in this product are not listed on or exempt from the Inventory.
Canada DSL Inventory List:	One or more components in this product are not listed on or exempt from the Inventory.
EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.

# 16.Other information, including date of preparation or last revision

Revision Date:	07/21/2018
Version #:	1.1
Further Information:	No data available.



**Disclaimer:** 

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.