

Revision Date: 08/05/2015

## **SAFETY DATA SHEET**

## 1. Identification

Material name: TREMSEAL PITCH POCKET SEALER - PART A

Material: 876200A304

Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

## Manufacturer/Importer/Supplier/Distributor Information

Tremco Incorporated 3735 Green Road BEACHWOOD OH 44122 US

Contact person: **EH&S** Department Telephone: 216-292-5000

Emergency telephone number: 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

## **Hazard Classification**

## **Health Hazards**

| Category 2  |
|-------------|
| Category 2B |
| Category 1  |
| Category 1  |
| Category 2  |
|             |

#### **Unknown toxicity - Health**

| Acute toxicity, oral                     | 22.5 % |
|--|--------|
| Acute toxicity, dermal                   | 22.5 % |
| Acute toxicity, inhalation, vapor        | 100 %  |
| Acute toxicity, inhalation, dust or mist | 100 %  |

## **Unknown toxicity - Environment**

| Acute hazards to the aquatic   | 100 % |
|--------------------------------|-------|
| environment                    |       |
| Chronic hazards to the aquatic | 100 % |
| environment                    |       |

#### **Label Elements**

#### **Hazard Symbol:**



Signal Word: Danger



Revision Date: 08/05/2015

**Hazard Statement:** May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. Suspected of causing cancer. Causes skin and eye irritation.

Precautionary Statement: Prevention:

Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection. Avoid breathing

dust/fume/gas/mist/vapors/spray. [In case of inadequate ventilation] wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal

protective equipment as required.

**Response:** If inhaled: If breathing is difficult, remove person to fresh air and keep

comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Wash contaminated clothing before

reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

## 3. Composition/information on ingredients

## Mixtures

| Chemical Identity                    | CAS number | Content in percent (%)* |
|--------------------------------------|------------|-------------------------|
| Diisodecyl phthalate (mixed Is)      | 68515-49-1 | 15 - 40%                |
| 4,4'-Methylene bis(phenylisocyanate) | 101-68-8   | 10 - 30%                |
| Diphenylmethane diisocyanate         | 26447-40-5 | 10 - 30%                |
| Polymethylene polyphenyl isocyanate  | 9016-87-9  | 7 - 13%                 |

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

Ingestion: Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.

**Inhalation:** Call a physician or poison control center immediately. If breathing stops,

provide artificial respiration. Move to fresh air. If breathing is difficult, give

oxygen.



Revision Date: 08/05/2015

**Skin Contact:** Get medical attention. Destroy or thoroughly clean contaminated shoes.

Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction

develops, get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

**Symptoms:** Prolonged or repeated contact with skin may cause redness, itching,

irritation and eczema/chapping.

Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. Evacuate area. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away. Do not touch damaged containers or spilled

material unless wearing appropriate protective clothing.

Methods and material for containment and cleaning

up:

Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.



Revision Date: 08/05/2015

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

## 7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with eyes. Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid contact with eyes, skin, and clothing. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

Conditions for safe storage,

including any incompatibilities:

Store locked up.

## 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

| Chemical Identity                    | type    | Exposure Limit Values | Source  |
|--------------------------------------|---------|-----------------------|---|
| 4,4'-Methylene bis(phenylisocyanate) | TWA     | 0.005 ppm             | US. ACGIH Threshold Limit Values (2011)   |
|                                      | Ceiling | 0.02 ppm 0.2 mg/m3    | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000)<br>(02 2006) |
| Polymethylene polyphenyl isocyanate  | TWA     | 0.005 ppm             | US. ACGIH Threshold Limit Values (2011)   |
|                                      | Ceiling | 0.02 ppm 0.2 mg/m3    | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000)<br>(02 2006) |

| Chemical name                           | type    | Exposure Limit Values | Source  |  |
|---|---------|-----------------------|---|--|
| 4,4'-Methylene<br>bis(phenylisocyanate) | CEILING | 0.01 ppm              | Canada. British Columbia OELs.<br>(Occupational Exposure Limits for<br>Chemical Substances, Occupational<br>Health and Safety Regulation 296/97,<br>as amended) (07 2007) |  |
|   | TWA     | 0.005 ppm             | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)             |  |
| 4,4'-Methylene bis(phenylisocyanate)    | TWAEV   | 0.005 ppm             | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |  |
|   | CEV     | 0.02 ppm              | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |  |



Revision Date: 08/05/2015

| 4,4'-Methylene bis(phenylisocyanate) | TWA     | 0.005 ppm | 0.051<br>mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |
|--------------------------------------|---------|-----------|----------------|---|
| Diphenylmethane diisocyanate         | TWA     | 0.005 ppm |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                      | CEILING | 0.01 ppm  |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Polymethylene polyphenyl isocyanate  | TWA     | 0.005 ppm |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                      | CEILING | 0.01 ppm  |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                      | TWA     | 0.005 ppm |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|                                      | CEILING | 0.01 ppm  |                | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Polymethylene polyphenyl isocyanate  | TWAEV   | 0.005 ppm |                | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|                                      | CEV     | 0.02 ppm  |                | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Polymethylene polyphenyl isocyanate  | TWA     | 0.005 ppm | 0.051<br>mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)  |

# Appropriate Engineering Controls

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.



Revision Date: 08/05/2015

#### Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** Use suitable protective gloves if risk of skin contact.

Other: Wear chemical-resistant gloves, footwear, and protective clothing

appropriate for the risk of exposure. Contact health and safety professional

or manufacturer for specific information.

**Respiratory Protection:** If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an

approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter,

cartridge or canister. Contact health and safety professional or

manufacturer for specific information.

**Hygiene measures:** Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be

allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical state: solid
Form: Paste
Color: Amber
Odor: Mild

Odor threshold:

pH:

No data available.

No data available.

Melting point/freezing point:

No data available.

No data available.

No data available.

No data available.

Flash Point: > 93 °C > 199 °F(Pensky-Martens Closed Cup)

Evaporation rate: Slower than n-Butyl Acetate

Flammability (solid, gas):

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

No data available.



Revision Date: 08/05/2015

Vapor density: Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density: 1.1

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Partition coefficient (n-octanol/water):
No data available.
No data available.
No data available.
No data available.
Viscosity:
No data available.

## 10. Stability and reactivity

Reactivity: No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of Hazardous

Reactions:

No data available.

**Conditions to Avoid:** Avoid heat or contamination.

Incompatible Materials: Alcohols. Amines. Strong acids. Avoid contact with oxidizing agents (e.g.

nitric acid, peroxides and chromates). Strong bases. Water, moisture.

**Hazardous Decomposition** 

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

#### 11. Toxicological information

#### Information on likely routes of exposure

**Ingestion:** May be ingested by accident. Ingestion may cause irritation and malaise.

**Inhalation:** In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact:** Causes eye irritation.

#### Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 36,425 mg/kg

Dermal

**Product:** No data available.

Inhalation

**Product:** No data available.



Revision Date: 08/05/2015

Specified substance(s):

Diisodecyl phthalate

LC 50 (Guinea pig, Mouse, Rat, 6 h): > 0.13 mg/l

(mixed Is)

4,4'-Methylene bis(phenylisocyanate)

LC 50 (Rat, 4 h): 0.49 mg/l

Repeated dose toxicity

**Product:** No data available.

Skin Corrosion/Irritation

**Product:** No data available.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Diisodecyl phthalate (mixed Is)

In

in vivo (Rabbit, 24 - 48 hrs): Slightly irritating

4 41 54 11 1

4,4'-Methylene bis(phenylisocyanate)

in vivo (Rabbit, 24 - 72 hrs): Not irritating

bis(pricitylisocyanate)

Respiratory or Skin Sensitization

**Product:** May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause sensitization by inhalation.

Carcinogenicity

**Product:** Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 



Revision Date: 08/05/2015

**Product:** No data available.

Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

## 12. Ecological information

## **Ecotoxicity:**

Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

**Aquatic Invertebrates** 

**Product:** No data available.

**Toxicity to Aquatic Plants** 

**Product:** No data available.

**Persistence and Degradability** 

Biodegradation

**Product:** No data available.

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative Potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.



Revision Date: 08/05/2015

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

## 13. Disposal considerations

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

**Contaminated Packaging:** No data available.

## 14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

## 15. Regulatory information

## **US Federal Regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

## CERCLA Hazardous Substance List (40 CFR 302.4):

**Chemical Identity** Reportable quantity 5000 lbs.

4,4'-Methylene

bis(phenylisocyanate)

Polymethylene 5000 lbs.

polyphenyl isocyanate

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard



Revision Date: 08/05/2015

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

Diisodecyl phthalate

(mixed Is)

4,4'-Methylene 5000 lbs.

bis(phenylisocyanate)

Polymethylene 5000 lbs.

polyphenyl isocyanate

#### SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity

Diisodecyl phthalate 500 lbs

(mixed Is)

4,4'-Methylene 500 lbs

bis(phenylisocyanate)

Diphenylmethane 500 lbs

diisocyanate

Polymethylene polyphenyl

isocyanate

500 lbs

## SARA 313 (TRI Reporting)

## **Chemical Identity**

4,4'-Methylene

bis(phenylisocyanate)

Polymethylene

polyphenyl isocyanate

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

#### US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

4,4'-Methylene bis(phenylisocyanate)

Diphenylmethane diisocyanate

Polymethylene polyphenyl isocyanate

#### **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

4,4'-Methylene bis(phenylisocyanate)

Polymethylene polyphenyl isocyanate



Revision Date: 08/05/2015

#### US. Pennsylvania RTK - Hazardous Substances

#### **Chemical Identity**

Diisodecyl phthalate (mixed Is) 4,4'-Methylene bis(phenylisocyanate) Polymethylene polyphenyl isocyanate

#### **US. Rhode Island RTK**

#### **Chemical Identity**

Diisodecyl phthalate (mixed Is) 4,4'-Methylene bis(phenylisocyanate) Polymethylene polyphenyl isocyanate

#### Other Regulations:

When appropriately mixed with the other part, product has a VOC less water and exempt solvent of:

0 g/l

**Inventory Status:** 

Australia AICS: One or more components in this product are

not listed on or exempt from the Inventory.

Canada DSL Inventory List: All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP: One or more components in this product are

not listed on or exempt from the Inventory.

Japan (ENCS) List: One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

One or more components in this product are

not listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI):

One or more components in this product are

not listed on or exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS: One or more components in this product are

not listed on or exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan ISHL Listing: One or more components in this product are

not listed on or exempt from the inventory.



Revision Date: 08/05/2015

Japan Pharmacopoeia Listing:

One or more components in this product are not listed on or exempt from the Inventory.

## 16.Other information, including date of preparation or last revision

**Revision Date:** 08/05/2015

Version #: 1.0

Further Information: No data available.

**Disclaimer:** For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.