

LEED DATA SHEET

DATE:		
PROJECT NAME:		
PROJECT LOCATION:		
NAME OF PRODUCT:		AlphaGuard Bio Top Coat
DESCRIPTION: High Perform		High Performance, Two-Part, Bio-Based Polyurethane Top Coat
PRODUCT/MATERIAL COST: \$		COST: \$

SOLAR REFLECTIVITY INDEX (SRI)

PAVING & SLOPED ROOF >2:12 MUST BE AT LEAST 29:	
LOW SLOPED ROOF MATERIALS MUST BE AT LEAST 78:	104

RECYCLED CONTENT

PRE-CONSUMER:	0	%
POST CONSUMER:	0	%

${\bf REGIONAL\ QUALIFICATIONS\ FOR\ PRODUCT/MATERIALS:}$

		DISTANCE FROM PROJECT:	MILES
LOCATION OF PROCESS:		DISTANCE FROM PROJECT:	MILES
LOCATION OF MANUFACTURE:	Cleveland, OH	DISTANCE FROM PROJECT:	MILES

LOW EMITTING MATERIALS:

ſ	COATING VOC	SEALANT VOC	ADHESIVE VOC	USE OF MATERIAL	
	(GRAMS/L)	(GRAMS/L)	(GRAMS/L)		
	6 g/L				

RAPIDLY RENEWABLE MATERIAL:

PERCENT RENEWABLE:	60	%
COST: \$		

PREPARED BY:	

 $[*]Extraction/Process/Manufacture\ is\ defined\ as\ the\ assembly\ of\ a\ final\ product\ not\ including\ on\ site\ assembly\ or\ installation.$

^{**}Due to several sources of raw materials for this product, specifying the origin of the component materials may not be possible.