


TREMCO ROOFING AND BUILDING MAINTENANCE

3735 GREEN RD; BEACHWOOD, OH 44122

TREMLOCK INFINITY COPING

TAPERED VERSION



NOTES:	MATERIAL:
1) ANCHOR CLIP PROFILE ON WALLS GREATER THAN 14".	24 GA. GALVANIZED STEEL 4040" ALUMINUM 4 22 GA. GALVANIZED STEEL050" ALUMINUM OTHER063" ALUMINUM
② IF WALL SIZE IS OVER 16", THE RISE IS $\frac{5}{8}$ ".	COLOR: FINISH:
 (3) FACE = COVERAGE (SHOULD EXTEND A MIN. OF 1" BELOW WATERPROOFING MEMBRANE) + 2". (4) 24 GA. GALV. AND .040" ALUM. COPING COVERS 	QUANTITIES:LINEAL FEET 12'-0" LENGTHS
 AVAILABLE FOR WALL SIZES 3½" TO 24" ONLY. WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050". FOR NON 90° MITERS PLEASE USE PRINT APPROVAL #60011-29182. 	ACCESSORIES: SPECIFY ACCESSORY TYPE: OUTSIDE MITERS @ 90° 6
AUTHORIZED SIGNATURE: APPROVED BY: DATE:	
APPROVED MIAMI-DADE COUNTY NOA No. 13-8419.03 12/11/18 ANSI/SPRI ES-1 TESTED	
PROJECT:	
ARCHITECT:	
ROOFING CONTRACTOR:	
REPRESENTATIVE/DISTRIBUTOR:	
TREMCO POOFING AND PHILIPPING MAINTENANCE PHONE: 262-9	953-2666 DATE: 07/11/18 SHT.# OF

EDGESYSTEMS@TREMCOINC.COM

WWW.TREMCOROOFING.COM


DRN BY: JJC

CKD BY: SAK


DWG# 60011-29181



TREMLOCK INFINITY COPING




TREMLOCK INFINITY COPING STANDARD ACCESSORIES




ENDWALL FLASHING COPING VERSION (RIGHT HAND SHOWN)





18" ROOF SIDE **ENDCAP** (LEFT HAND SHOWN)



ENDWALL FLASHING SPLICE PLATE VERSION (RIGHT HAND SHOWN) (AVAILABLE ONLY IN .040" WELDED, PAINTED TO MATCH COPING)

MITER STANDARD LEG LENGTH: WALL SIZE + $9\frac{5}{8}$ " = LENGTH

ADDITIONAL ACCESSORIES ARE AVAILABLE ON WEBSITE:

TRANSITION MITERS

STRAIGHT TRANSITION MITERS

"T" MITERS

"Z" MITERS

STEP-UP MITERS

PEAK / VALLEY MITERS

PILASTER CAPS

RADIUS COPING

ARCHED COPING

(FOR ADDITIONAL ACCESSORY REQUIREMENTS, ATTACH SKETCHES OR CALL MANUFACTURER FOR ASSISTANCE).