


TREMLOCK INFINITY FLUSH COPING


TAPERED VERSION




ACTUAL WALL SIZE MIN. $3\frac{1}{2}$ " MAX. 32"	
NOTES: 1 ANCHOR CLIP PROFILE ON WALLS GREATER THAN 14". 2 IF WALL SIZE IS OVER 16", THE RISE IS \(\frac{5}{8} \)". 3 FACE = COVERAGE (SHOULD EXTEND A MIN. OF 1" BELOW WATERPROOFING MEMBRANE) + 2". 4 24 GA. GALV. AND .040" ALUM. COPING COVERS	MATERIAL: 24 GA. GALVANIZED STEEL ④ 22 GA. GALVANIZED STEEL040" ALUMINUM ④050" ALUMINUM063" ALUMINUM FINISH: OTHER QUANTITIES: LINEAL FEET 12'-0" LENGTHS
AVAILABLE FOR WALL SIZES 3½" TO 24" ONLY. (5) WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050". (6) FOR NON 90° MITERS PLEASE USE PRINT APPROVAL #60011-29132. AUTHORIZED SIGNATURE: APPROVED BY: DATE: MIAMIDADE COUNTY NOA No. 13-0419.03 Miami-Dade County, Florida ANSI/SPRI ES-1 TESTED	ACCESSORIES: OUTSIDE MITERS @ 90° 6 INSIDE MITERS @ 90° 6 INSIDE MITERS @ 90° 6 QUICKLOCK RIGHT ENDCAPS LEFT ENDCAPS RIGHT ENDWALL (COPING VERSION) LEFT ENDWALL (SPLICE PLATE VERSION) LEFT ENDWALL (SPLICE PLATE VERSION)
PROJECT: ARCHITECT:	
ROOFING CONTRACTOR:	
REPRESENTATIVE/DISTRIBUTOR:	
TREMCO ROOFING AND BUILDING MAINTENANCE PHONE: 262-9 3735 GREEN RD: REACHWOOD, OH 44122 EDGESYSTEM:	DATE: 07/19/18 SHT.# OF




TREMLOCK INFINITY FLUSH COPING




TREMLOCK INFINITY FLUSH COPING STANDARD ACCESSORIES




(LEFT HAND SHOWN)



ENDWALL FLASHING COPING VERSION (RIGHT HAND SHOWN)



ENDWALL FLASHING
SPLICE PLATE VERSION
(RIGHT HAND SHOWN)
(AVAILABLE ONLY IN
.040" WELDED, PAINTED
TO MATCH COPING)



MITER STANDARD LEG LENGTH: WALL SIZE + $9\frac{5}{8}$ " = LENGTH

ADDITIONAL ACCESSORIES ARE AVAILABLE ON WEBSITE:

TRANSITION MITERS

STRAIGHT TRANSITION MITERS

"T" MITERS

"Z" MITERS

STEP-UP MITERS

PEAK / VALLEY MITERS

PILASTER CAPS

RADIUS COPING

ARCHED COPING

(FOR ADDITIONAL ACCESSORY REQUIREMENTS, ATTACH SKETCHES OR CALL MANUFACTURER FOR ASSISTANCE).