




TREMLOCK 215 HD FASCIA SINGLE-PLY

FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

ANSI/SPRI ES-1 TESTED



NOTES:

- ① FASCIA COVER PROVIDED WITH $3\frac{1}{2}$ " WIDE SPLICE PLATES. ② TYPICALLY COVERAGE SHOULD EXTEND A MIN. OF $1\frac{1}{2}$ " BELOW WOOD BLOCKING IF APPLICABLE.
③ NOT AVAILABLE IN 24 GA. GALV. STEEL OR .040" ALUMINUM.

TREMLOCK 215 HD FASCIA SINGLE-PLY

PRODUCT ID. NO.	H DIM	COVERAGE	
<input type="checkbox"/> HG-AF-40	4"	$2\frac{3}{4}$ "	
<input type="checkbox"/> HG-AF-55	$5\frac{1}{2}$ "	$4\frac{1}{4}$ "	
<input type="checkbox"/> HG-AF-70	7"	$5\frac{3}{4}$ "	
<input type="checkbox"/> HG-AF-85	$8\frac{1}{2}$ "	$7\frac{1}{4}$ "	
<input type="checkbox"/> HG-AF-100 ③	10"	$8\frac{3}{4}$ "	

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with Tremco's printed instructions.

Approved by: _____

Date: _____

MATERIAL:

____ 24 GA. GALVANIZED STEEL COLOR: _____
____ 22 GA. GALVANIZED STEEL FINISH: _____
____ .040" ALUMINUM
____ .050" ALUMINUM
____ .063" ALUMINUM
____ OTHER _____

QUANTITIES:

____ LINEAL FEET 12'-0" LENGTHS
____ OUTSIDE MITER(S) @ 90°
____ INSIDE MITER(S) @ 90°
____ OVERFLOW SCUPPER(S) STYLE ____ A ____ B
____ SPILLOUT SCUPPER(S) STYLE ____ A ____ B
____ DOWNSPOUT(S) STYLE ____ A ____ B (____ x ____) DOWNSPOUT SIZE
A: TAPERED 1 1/2" DROP B: FLAT

FOR NON-90 MITERS SEE PRINT APPROVAL #60010-29179

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:

TREMCO ROOFING AND BUILDING MAINTENANCE
3735 GREEN RD; BEACHWOOD, OH 44122
PHONE: 800-558-2162
EDGESYSTEMS@TREMCOINC.COM
WWW.TREMCOROOFING.COM

TREMCO
ROOFING & BUILDING MAINTENANCE

DATE: 07/18/18

DRN BY: JJC

CKD BY: SAK

SHT.# ____ OF ____

DWG# 60010-29233

A